THE JOURNAL OF
# PROSTHETIC DENTISTRY

**OFFICIAL PUBLICATION OF**
The Academy of Denture Prosthetics
The American Prosthodontic Society
The Pacific Coast Society of Prosthodontists
The American Academy of Restorative Dentistry
The American Academy of Crown and Bridge Prosthodontics
The Greater New York Academy of Prosthodontics
The Southeastern Academy of Prosthodontics
The American Academy of Maxillofacial Prosthetics
The American Equilibration Society
The American Academy of Implant Dentistry
The Canadian Academy of Prosthodontics
Federation of Prosthodontic Organizations
The American College of Prosthodontists
The Carl O. Boucher Prosthodontic Conference
Northeastern Gnathological Society
Midwest Academy of Prosthodontics
Northeastern Prosthodontic Society
Association of Prosthodontists of Canada
American Academy of Esthetic Dentistry
American Academy of Craniomandibular Disorders
The Florida Prosthodontic Association
Society for Occlusal Studies

## EDITORIAL COUNCIL

Louis S. Block, *chairman*
Daniel H. Gehl, *vice-chairman*
S. Howard Payne, *consultant*
I. Kenneth Adisman
Thomas A. Curtis
Henry Ebel
William A. Jennings
F. James Kratochvil
Alexander L. Martone
Chester Perry
Dale E. Smith
Charles C. Swoope

## EDITOR
**Judson C. Hickey**

## ASSISTANT EDITOR
**Ronald P. Desjardins**

## SECTION EDITORS

REMOVABLE PROSTHODONTICS
Louis Blatterfein
S. Howard Payne

FIXED PROSTHODONTICS AND OPERATIVE DENTISTRY
Samuel E. Guyer
William Nefkowitz
William F. P. Malone
John E. Rhoads
Robert C. Sproull

MAXILLOFACIAL PROSTHETICS AND DENTAL IMPLANTS
I. Kenneth Adisman
Ronald P. Desjardins

TEMPOROMANDIBULAR JOINT AND OCCLUSION
George A. Zarb

RESEARCH AND EDUCATION
Louis J. Boucher

DENTAL TECHNOLOGY
Daniel H. Gehl

Paul Barton, *editorial consultant*
Ralph W. Phillips, *advisor, dental materials*
Ocie Colleen Ringle, *editorial assistant*

## ASSOCIATE EDITORS

Dale H. Andrews
Louis J. Boucher
Thomas A. Curtis
Ronald P. Desjardins
Asterios Doukoudakis
Robert W. Elliott, Jr.
Aaron H. Fenton
Sanford C. Frumker
James B. Gallagher, Jr.
Davis Henderson
Robert E. Hoar
William W. Howard
William A. Jennings
Nathaniel H. Lenchner
William F. P. Malone
Paul J. Mentag
Jack H. Rayson
Lester E. Rosenthal
Dale E. Smith
William Sulik
Charles C. Swoope
Ross L. Taylor

**VOLUME 51** **JUNE** **1984**
**THE C. V. MOSBY COMPANY** **ST. LOUIS**

**VOLUME 51**
**Copyright © 1984**
**THE C. V. MOSBY COMPANY**

*(All rights reserved)*
*Printed in the United States of America*

# INDEX TO VOLUME 51

## Author index


A

Abadi, B. (*See* Tuncay et al), 169
Abadie, F. R. Porcelain surface characterization staining in office, 181
Abarno, J. C., and Spatakis, S. Impression techniques for preparations with shoulders, 42
Abdelnnabi, M. M., Moore, D. J., and Sakumura, J. S. In vitro comparison study between MDX-4-4210 and polydimethyl siloxane silicone materials, 523
Adams, Jr., E. D. (*See* Rudd et al), 318
Adishian, S. (*See* Donovan et al), 273
Adriaens, P. (*See* Coornaert et al), 338
Agrawal, N. K. (*See* Alvi et al), 470
Albino, J. E. (*See* Garlapo et al), 268
Albright, L. R. (*See* von Gonten and Albright), 283
Alvi, H. A., Agrawal, N. K., Chandra, S., and Rastogi, M. Psychologic study of self-concept of patients in relation to artificial and natural teeth, 470
Andrews, D. H. (*See* Chance et al), 559
Atwood, D. A. Future of prosthodontics, 262
—. Personal perspective of implant dentistry, 801
Avital, R. (*See* Zalkind et al), 714
Axelrod, S. (*See* Tarbet et al), 322
Axinn, S., and Taylor, D. T. Boxing technique with adjustable polyvinylchloride rings, 84
—. (*See* Hansen and Axinn), 16

B

Baer, P. N. (*See* Renner et al), 593
Bagheri, J., and Chan, K. C. Reinforcement of weakened surrounding cavity walls with pins, 343
Bagley, R. L. (*See* Stewart et al), 797
Baikadi, M. (*See* Cameron et al), 70
Bailey, Jr., J. O., and Nowlin, T. P. Evaluation of third point of reference for mounting maxillary casts on Hanau articulator, 199
Bangtson, L., Fattore, L., Indresano, A. T., and Edmonds, D. Simplified method for fabricating prong denture for atrophic maxillae, 744
Barbosa, A. N., Galan, Jr., J., Lopes, E. S., and Ishikiriama, A. Surface mercury content roughness after delayed burnishing of amalgam, 214
Barghi, N. (*See* Rugh et al), 548
Barnes, R. F. (*See* Eshleman et al), 761
Barreto, M. T. Failures in ceramometal fixed restorations, 186
Bauer, J. G. (*See* Crispin et al), 631
Baxter, J. C. Nutritional intake of geriatric patients with varied dentitions, 164
Beck, J. D. (*See* Ettinger et al), 419
Becker, C. M. (*See* Kaldahl et al), 36
Bell, Jr., D. H. (*See* Tsao et al), 450
Bell, W. H. (*See* Throckmorton et al), 252
Bernier, S., Shotwell, J., and Razzoog, M. Clinical evaluation of complete denture therapy: Examiner consistency, 703
Berry, D. C., and Singh, B. P. Effect of EMG biofeedback therapy on occlusal contacts, 397
Binder, H. (*See* Schneider and Binder), 624
Blomlof, L. (*See* Friskopp and Blomlof), 334
Bolouri, A., and Williams, C. E. Using existing complete dentures as surgical template, 129
Boutros, M. M. (*See* Heath and Boutros), 602
Boyer, D. B. (*See* Chan et al), 765
Brady, R. E. (*See* DeBoer et al), 119
Brain, D. J. (*See* Davenport et al), 577
Brose, M. O., Woelfel, J. B., Rieger, M. R., and Tanquist, R. A. Internal channel vents for posterior complete crowns, 755
Brudvik, J. S. (*See* Chandler and Brudvik), 736
Brukl, C. E., McConnell, R. M., Norling, B. K., and Collard, S. M. Influence of gauging water composition on dental stone expansion setting time, 218
Brunski, J. B., and Hipp, J. A. In vivo forces on endosteal implants: Measurement system and biomechanical considerations, 82
Busato, A. L. S. (*See* Ishikiriama et al), 637

C

Cameron, S. M., Baikadi, M., and Janaki, L. M. Intraoral-extraoral radiation source carrier for tumors of lip, 70
Camp, P. (*See* Renner et al), 593
Caputo, A. A., and Hokama, S. N. Retention and stress-distributing characteristics of new dowel system, 652
—. (*See* Reitz et al), 19
Cardash, H. S. (*See* Kaufman and Cardash), 126
Casey, D. M. Reusable metal molds for ocular parts of orbital prostheses, 804
Castleberry, D. J. (*See* Turner et al), 519, 673
Chalian, V. A. (*See* Ghalichebaf et al), 383
—. (*See* Knowles et al), 232
Chan, K. C., Boyer, D. B., and Schulein, T. M. Effectiveness of pins with complete cast metal crowns, 765
—. (*See* Bagheri and Chan), 343
Chance, D. C., Williams, E. O., Huff, T. L., and Andrews, D. H. Determination of chronology of mandibular border movements by optical pantography, 559
Chandler, J. A., and Brudvik, J. S. Clinical evaluation of patients eight to nine years after placement of removable partial dentures, 736
Chandra, S. (*See* Alvi et al), 470
Christensen, L. V. (*See* Shupe et al), 811
Collard, S. M. (*See* Brukl et al), 218
Connelly, M. E. (*See* Farmer and Connelly), 300
—. (*See* Hollinger et al), 304
—. (*See* Kraut and Connelly), 663
Conny, D. J. (*See* Garlapo et al), 268
Cook, P. A., Griswold, W. H., and Post, A. C. Effect of superficial colorant and glaze on surface texture of vacuum-fired porcelain, 476
Coornaert, J., Adriaens, P., and De Boever, J. Long-term clinical study of porcelain-fused-to-gold restorations, 338
Crispin, B. J., Watson, J. F., Bauer, J. G., and Frawley, K. R. Silver plated dies. Part I: Platability of impression materials, 631; Part II: Marginal accuracy of cast restorations, 768
Curcio, F. B. Development of augmentation endodontic-endosseous implant and technique for its use: Postoperative evaluation, 75

D

Davenport, J. C., Brain, D. J., and Hunt, A. T. Laboratory techniques for construction of intranasal prostheses, 577
Davis, R. K. (*See* Renner et al), 593
DeBoer, J., Vermilyea, S. G., and Brady, R. E. Effect of carbon fiber orientation on fatigue resistance and bending properties of two denture resins, 119



January, 1-142; February, 143-294; March 295-444; April, 445-588; May, 589-732; June, 733-880.

De Boever, J. (*See* Coornaert et al), 338
—. (*See* Weyns and De Boever), 485
De Clerck, J. P. Ultrasonic hardening of annealed copper bands, 132
Dederich, D. N., Svare, C. W., Peterson, L. C., and Turner, K. A. Effect of repeated firings on margins of nonprecious ceramometals, 628
Dedmon, H. W. (*See* Williams and Dedmon), 205
de Graaff, J. (*See* Koopmans et al), 461
Delivanis, P. D. (*See* Mattison et al), 785
DePaola, L. G., Minah, G. E., and Elias, S. A. Growth of potential pathogens in denture-soaking solution of myelosuppressed cancer patients, 554
Dilts, W. E. (*See* Miranda et al), 29
Donahue, R. G., and Donahue, T. J. Technique for manipulation of small lengths of stick modeling compound, 853 (Tips)
Donahue, T. J. (*See* Donahue and Donahue), 853
Donovan, T. E., Adishian, S., and Prince, J. Platinum-bonded crown: Simplified technique, 273
—. (*See* Nemetz et al), 647
Dorrough, B. C. (*See* Seals and Dorrough), 238
Drago, C. J., and Rugh, J. D. Effect of posterior tooth form on chewing cycle in frontal plane, 564
—. (*See* Rugh et al), 548
Duncanson, M. G. (*See* Miranda et al), 29
Dykema, R. W. (*See* Ecker et al), 404
—. (*See* Kriebel et al), 60

E

Ecker, G. A., Goodacre, C. J., and Dykema, R. W. Comparison of condylar control settings obtained from wax interocclusal records and simplified mandibular motion analyzers, 404
Edmonds, D. (*See* Bangtson et al), 744
Eggleston, D. W. Effect of dental amalgam and nickel alloys on T-lymphocytes: Preliminary report, 617
Elias, S. A. (*See* DePaola et al), 554
Ellinger, C. (*See* Tuncay et al), 169
—. (*See* Wesley et al), 467
Erdman, A. G. (*See* Schulte et al), 247
Eshleman, J. R., Moon, P. C., and Barnes, R. F. Clinical evaluation of cast metal resin-bonded anterior fixed partial dentures, 761
Esposito, C. J., Veal, S. J., and Farman, A. G. Alleviation of myofascial pain with ultrasonic therapy, 106
Ettinger, R. L., Beck, J. D., and Jakobsen, J. Removable prosthodontic treatment needs: Survey, 419

F

Farman, A. G. (*See* Esposito et al), 106
Farmer, J. B., and Connelly, M. E. Treatment of open occlusions with onlay and overlay removable partial dentures, 300
Fattore, L., Malone, W. F., Sandrik, J. L., Mazur, B., and Hart, T. Clinical evaluation of accuracy of interocclusal recording materials, 152
—. (*See* Bangtson et al), 744
Finger, I. M. (*See* Shupe et al), 811
Firtell, D. N., and Stade, E. H. Declining complete denture patient pool in dental schools, 122
—, Harman, L. L., and Mora, A. E. Bench-curing acrylic resins, 431
Fischer, T. E. (*See* Turner et al), 519, 673
Fratarcangelo, P. A. (*See* Tarbet et al), 322
Frawley, K. R. (*See* Crispin et al), 631, 768
Friskopp, J., and Blomlof, L. Intermediate fiberglass splints, 334
Froemling, R. A. (*See* Stewart et al), 797

G

Galan, Jr., J. (*See* Barbosa et al), 214
Garfield, R. E. Effective method for relining metal-based prostheses with acid-etch techniques, 719
Garlapo, D. A., Tedesco, L. A., Conny, D. J., and Albino, J. E. Discrepancies in dental education: Is general practice influenced by design or default, 268
Gavelis, J. R., and Hope, D. M. Modified indirect cast post and core technique, 55
Gelb, M. M., Pascoe, D. F., Hirsch, S. M., Panno, F. V., and Kaim, J. M. Effect of proximal cavity design on cementation of Class II inlays, 202
Ghalichebaf, M., Chalian, V. A., and Shidnia, H. Shielded radium source carrier nasal stent for treatment of primary carcinoma of nasal cavity, 383
Gibbs, C. H., Mahan, P. E., Wilkinson, T. M., and Mauderli, A. EMG activity of superior belly of lateral pterygoid muscle in relation to other jaw muscles, 691
Goldstein, B. M. (*See* Klein and Goldstein), 611
Gomes, B. C. (*See* Renner et al), 593
Gonyea, W. J. (*See* Throckmorton et al), 252
Goodacre, C. J. (*See* Ecker et al), 404
—. (*See* Kriebel et al), 60
Grajower, R. (*See* Shorer et al), 358
Griswold, W. H. (*See* Cook et al), 476
Grover, P. S., Hollinger, J., and Lorton, L. Review of incidence of pain after operative treatment visit. Part I, 224; Part II, 369
Guilford, H. J. (*See* Tsao et al), 450

H

Haeuchi, Y. (*See* Nakamura et al), 790
Halpern, B. G. (*See* Wood et al), 192
Hamada, T. (*See* Maetani et al), 353
Hamilton, A. I. (*See* Jendresen et al), 823
Hammer, D. W. (*See* von Fraunhofer and Hammer), 209
Hansen, C. A., and Axinn, S. Incidence of mandibular dysfunction symptoms in individuals who remove their complete denture(s) during sleep, 16
Harman, L. L. (*See* Firtell et al), 431
Hart, T. (*See* Fattore et al), 152
Hassell, K. J. (*See* Mattison et al), 785
Hayakawa, I., Kawae, M., Tsuji, Y., and Masuhara, E. Soft denture liner of fluoroethylene-copolymer and its clinical evaluation, 310
Hayward, J. R. (*See* Upton et al), 686
Heath, M. R., and Boutros, M. M. Influence of prostheses on mandibular posture in edentulous patients, 602
Helms, C. A., Vogler, III, J. B., Morrish, Jr., R. B. Diagnosis by computed tomography of temporomandibular joint meniscus displacement, 544
Hembree, Jr., J. H (*See* Welsh et al), 33
Hesby, R. A. (*See* Simpson et al), 819
Hipp, J. A. (*See* Brunski and Hipp), 82
Hirsch, S. M. (*See* Gelb et al), 202
Hirschfeld, Z. (*See* Shorer et al), 358
Hobo, S. Kinematic investigation of mandibular border movement by means of electronic measuring system. Part II: Study of Bennett movement, 642
Hokama, S. N. (*See* Caputo and Hokama), 652
Hollinger, J. O., Lorton, L., Krantz, W. A., and Connelly, M. Clinical and laboratory comparison of irreversible hydrocolloid impression techniques, 304
—. (*See* Grover et al), 224, 369
Holst, E. Natamycin and nystatin for treatment of oral candidiasis during and after radiotherapy, 226
Hope, D. M. (*See* Gavelis and Hope), 55
Huff, T. L. (*See* Chance et al), 559
Hunt, A. T. (*See* Davenport et al), 577

I

Indresano, A. T. (*See* Bangtson et al), 744
Ishikiriama, A., Busato, A. L. S., Navarro, M. F. deL., and Mondelli, J. Temporary cementation of acrylic resin cast complete crowns, 637
—. (*See* Barbosa et al), 214

J

JAKOBSEN, J. (*See* Ettinger et al), 419
JAMISON, H. C. (*See* Månson-Rahemtulla et al), 495
JANAKI, L. M. (*See* Cameron et al), 70
JARVIS, R. H., JENKINS, T. J., AND TEDESCO, L. A. Castability study of nonprecious ceramometal alloys, 490
JENDRESEN, M. D., HAMILTON, A. I., MCLEAN, J. W., PHILLIPS, R. W., AND RAMFJORD, S. P. Report of the Committee on Scientific Investigation of the American Academy of Restorative Dentistry, 823
JENKINS, T. J. (*See* Jarvis et al), 490
JOHNSTON, C. P. (*See* Throckmorton et al), 252
JOOSTE, C. H. Method for orienting ocular portion of orbital prosthesis, 380
JULIANO, L. J. Temporary cementation of fixed prosthesis, 132
JUMBELIC, R., AND NASSIF, J. General considerations prior to relining of complete dentures, 158
—. (*See* Nassif and Jumbelic), 11

K

KAIM, J. M. (*See* Gelb et al), 202
KALDAHL, W. B., BECKER, C. M., AND WENTZ, F. M. Periodontal surgical preparation for specific problems in restorative dentistry, 36
KALK, W. (*See* Koopmans et al), 461
KAUFMAN, C., AND CARDASH, H. S. Method of restoring palatal form in complete maxillary denture, 126
KAWAE, M. (*See* Hayakawa et al), 310
KAWAHARA, H. (*See* Nakamura et al), 790
KAWAZOE, Y. (*See* Maetani et al), 353
KAZANOGLU, A. (*See* Tsao et al), 450
KEAGLE, J. G., AND RAHN, A. O. Surgical modification of hyperplastic anterior maxillary ridge, 748
KERN, S. B., VON FRAUNHOFER, J. A., AND MUENINGHOFF, L. A. In vitro comparison of two dowel and core techniques for endodontically treated molars, 509
KEYES, P. H. (*See* Rams et al), 529
KING, G. E. (*See* Martin and King), 669
—. (*See* Martin et al), 527
KINOUCH, Y. (*See* Sasaki et al), 450
KLEIN, I. E., AND GOLDSTEIN, B. M. Physiologic determinants of primary impressions for complete dentures, 611
— AND LENNON, C. A. Comprehensive approach to tissue conditioning for complete dentures, 147
KNAPP J. G. Simplified approach to fabrication of maxillary hollow obturator prosthesis, 67
KNOWLES, J. C., CHALIAN, V. A., AND SHANKS, J. C. Functional speech impression used to fabricate maxillary speech prosthesis for partial glossectomy patients, 232
KNUDSON, R. C., AND SAUNDERS, T. R. Modified clinical laboratory procedures for fabrication of nasal prostheses, 660
KOHAVI, D. (*See* Stern and Kohavi), 515
KOOPMANS, A. S. F., SILLEVIS SMITT, P. A. E., KALK, W., AND DE GRAAFF, J. Efficacy of 2.5% Pimafucin suspension in treatment of denture stomatitis, 461
KOTH, D. L. (*See* McKinney et al), 372
KRAMER, D. C. (*See* Martin et al), 527
KRANTZ, W. A. (*See* Hollinger et al), 304
KRAUT, R. A., AND CONNELLY, M. E. Custom prostheses used to support oral and maxillofacial surgery, 663
KRIEBEL, R., MOORE, B. K., GOODACRE, C. J., AND DYKEMA, R. W. Comparison of strength of base metal and gold solder joints, 60

L

LAMB, M. F. (*See* Wood et al), 192
LANDESMAN, H. (*See* Nemetz et al), 647
LEMONS, J. E. (*See* Turner et al), 519, 673
LENNON, C. A. (*See* Klein and Lennon), 147
LIPTON, J. A., AND MARBACH, J. J. Predictors of treatment outcome in patients with myofascial pain-dysfunction syndrome and organic temporomandibular joint disorders, 387
LOFT, G. H. (*See* Moskowitz et al), 330
LOGAN, G. I., AND NIMMO, A. Use of disclosing wax to evaluate denture extensions, 280
LOPES, E. S. (*See* Barbosa et al), 214
LORTON, L. (*See* Grover et al), 224, 369
—. (*See* Hollinger et al), 304
LUNDEEN, T. F., AND MENDOZA, F. Comparison of Bennett shift measured at hinge axis and arbitrary hinge axis position, 407
—, —. Comparison of two methods for measurement of immediate Bennett shift, 243
LYMAN, S. (*See* Ullo et al), 847

M

MACENTEE, M. I. (*See* Richter and MacEntee), 46
MAETANI, T., MIYOSHI, R., NAHARA, Y., KAWAZOE Y., AND HAMADA, T. Plaque accumulation on Teflon-coated metal, 353
MALONE, W. F. (*See* Fattore et al), 152
MÅNSON-RAHEMTULLA, B., RETIEF, D. H., AND JAMISON, H. C. Effect of concentrations of phosphoric acid on enamel dissolution, 495
MAHAN, P. E. (*See* Gibbs et al), 691
MANSFIELD, JR., W. J., AND SHAY, J. S. Alternative treatment of proximal marginal caries in crowned teeth, 49
MARBACH, J. J. (*See* Lipton and Marbach), 387
MAROSO, D. J., TISCHLER, P., AND SCHMIDT, J. R. Simplified technique for magnetic retention of overdentures, 599
MARTIN, J. W., AND KING, G. E. Framework retention for maxillary obturator prostheses, 669
—, —, KRAMER, D. C., AND RAMBACH, S. C. Use of interim obturator for definitive prosthesis fabrication, 527
MARTINE, J. (*See* Samant and Martine), 282
MARTINOFF, J. T. (*See* Sorensen and Martinoff), 780
MASUHARA, E. (*See* Hayakawa et al), 310
MATTISON, G. D., DELIVANIS, P. D., THACKER, JR., R. W., AND HASSELL, K. J. Effect of post preparation on apical seal, 785
MAUDERLI, A. (*See* Gibbs et al), 691
MAZUR, B. (*See* Fattore et al), 152
MCARTHUR, D. R. Fabrication of full coverage restorations for existing removable partial dentures, 574
MCCARTNEY, J. W. Esthetic reconstruction and rebase procedure for maxillary complete dentures, 571
MCCLESKEY, F. K. (*See* Rudd et al), 318
MCCONNELL, R. M. (*See* Brukl et al), 218
MCDERMOTT, I. G., AND ROSENBERG, S. W. Overdentures for irradiated patient, 314
MCKINNEY, JR., R. V., STEFLIK, D. E., KOTH, D. L. Biologic response to single-crystal sapphire endosteal dental implant: Scanning electron microscopic observations, 372
MCLEAN, J. W. (*See* Jendresen et al), 823
MEDLOCK, J. W., AND RE, G. J. Contoured mylar matrices, 364
MENDOZA, F. (*See* Lundeen and Mendoza), 243, 407
MILLER, C. H. (*See* Palenik and Miller), 751
MILLER, G. D. (*See* Tjan et al), 24, 347
MILLER, T. H. Obtaining posterior palatal seal, 717
MINAH, G. E. (*See* DePaola et al), 554
MINKOFF, S. (*See* Tarbet et al), 322
MIRANDA, F. J., DUNCANSON, M. G., AND DILTS, W. E. Interfacial bonding strengths of paired composite systems, 29
MIYOSHI, R. (*See* Maetani et al), 353
MOHAMED, S. E. (*See* Shupe et al), 811
MONDELLI, J. (*See* Ishikiriama et al), 637
MONTGOMERY, M. T. (*See* Van Sickels and Montgomery), 5
MOON, P. C. (*See* Eshleman et al), 761
MOORE, B. K. (*See* Kriebel et al), 60
MOORE, D. J. (*See* Abdelnnabi et al), 523
MORA, A. E. (*See* Firtell et al), 431
MORRISH, JR., R. B. (*See* Helms et al), 544
MOSKOWITZ, M. E., LOFT, G. H., AND REYNOLDS, J. M. Using irreversible hydrocolloid to evaluate preparations and fabricate temporary provisional restorations, 330
MUENINGHOFF, L. A. (*See* Kern et al), 509

N

NAHARA, Y. (*See* Maetani et al), 353
NAKAMURA, M., KAWAHARA, H., AND HAEUCHI, Y. In vitro cell response to cobalt-chromium-molybdenum alloy containing beryllium, 790
NASSIF, J., AND JUMBELIC, R. Current concepts for relining complete dentures: Survey, 11
—. (*See* Jumbelic and Nassif), 158
NAVARRO, M. F. DEL. (*See* Ishikiriama et al), 637
NEIHART, T. R. Cyanoacrylate veneer facing: Alternate approach, 777
NEMETZ, H., DONOVAN, T., AND LANDESMAN, H. Exposing gingival margin: Systematic approach for control of hemorrhage, 647
NEWMAN, S. M. Microleakage of copal rosin cavity varnish, 499
NICHOLLS, J. I. (*See* Serrano et al), 97
NIMMO, A. (*See* Logan and Nimmo), 280
NORLING, B. K. (*See* Brukl et al), 218
NOWLIN, T. P. (*See* Bailey and Nowlin), 199
NUCKLES, D. B. (*See* Welsh et al), 33

P

PALENIK, C. J., AND MILLER, C. H. In vitro testing of three denture cleaning systems, 751
PANNO, F. V. (*See* Gelb et al), 202
PARKINSON, C. F., AND SCHABERG, T. V. Pontic design of posterior fixed partial prostheses: Is it a microbial misadventure, 51
PASCOE, D. F. (*See* Gelb et al), 202
PELLEU, JR., G. B. (*See* Simpson et al), 819
PETERSON, L. C. (*See* Dederich et al), 628
PFEIFER, D. L. (*See* Simpson et al), 819
PHANKOSAL, P., AND TAYLOR, T. D. Repairing torn irreversible hydrocolloid impressions with cyanoacrylate adhesive, 722
PHILLIPS, R. W. (*See* Jendresen et al), 823
PORTER, JR., C. B. Anterior pontic design: Logical progression, 774
PORTERA, J. J. (*See* Williams et al), 656
POST, A. C. (*See* Cook et al), 476
PRINCE, J. (*See* Donovan et al), 273

R

RAHN, A. O. (*See* Keagle and Rahn), 748
RAMBACH, S. C. (*See* Martin et al), 527
RAMFJORD, S. P. (*See* Jendresen et al), 823
RAMS, T. E., ROBERTS, R. W., TATUM, JR., H., AND KEYES, P. H. Subgingival microbial flora associated with human dental implants, 529
RASTOGI, M. (*See* Alvi et al), 470
RAZZOOG, M. (*See* Bernier et al), 703
RE, G. J. (*See* Medlock and Re), 364
READE, P. C. Approach to management of temporomandibular joint pain-dysfunction syndrome, 91
REHANY, A. (*See* Zalkind et al), 714
REITZ, P. V., SANDERS, J. L., AND CAPUTO, A. A. Photoelastic study of split palatal major connector, 19
RENNER, R. P., GOMES, B. C., SHAKUN, M. L., BAER, P. N., DAVIS, R. K., AND CAMP, P. Four-year longitudinal study of periodontal health status of overdenture patients, 593
RETIEF, D. H. (*See* Månson-Rahemtulla et al), 495
REYNOLDS, J. M. (*See* Mosowitz et al), 330
RICHTER, W. A., AND MACENTEE, M. I. Effect of microbicidal cleaner on retentive strength of two cements, 46
RIEGER, M. R. (*See* Brose et al), 755
ROBERTS, T. W. (*See* Rams et al), 529
ROONEY, D. J. (*See* Schulte et al), 247
ROSENBERG, S. W. (*See* McDermott and Rosenberg), 314
RUDD, R. W., SENIA, E. S., MCCLESKEY, F. K., AND ADAMS, JR., E. D. Sterilization of complete dentures with sodium hypochlorite, 318
RUGH, J. D., BARGHI, N., AND DRAGO, C. J. Experimental occlusal discrepancies and nocturnal bruxism, 548
—. (*See* Drago and Rugh), 564
—. (*See* von Gonten and Rugh), 709

S

SAKUMURA, J. S. (*See* Abdelnnabi et al), 523
SAMANT, A., AND MARTINE, J. Easy removal of polysulfide maxillary impressions from mouth, 282
SANDERS, J. L. (*See* Reitz et al), 19
SANDRIK, J. L. (*See* Fattore et al), 152
SASAKI, H., KINOUCHI, Y., TSUTSUI, H., YOSHIDA, Y., AND USHITA, T. Magnetic attachment for overdentures, 450
SAUNDERS, T. R. (*See* Knudson and Saunders), 660
SCHABERG, T. V. (*See* Parkinson and Schaberg), 51
SCHMIDT, J. R. (*See* Maroso et al), 599
SCHMITT, S. M. Two-die system for constructing porcelain jacket crowns, 195
SCHNEIDER, A. R., AND BINDER, H. Periodontal considerations relevant to treating fractured tooth, 624
SCHULEIN, T. M. (*See* Chan et al), 765
SCHULTE, J. K., ROONEY, D. J., AND ERDMAN, A. G. Hinge axis transfer procedure: Three-dimensional error analysis, 247
SCOTT, R. F. (*See* Upton et al), 686
SEALS, JR., R. R., AND DORROUGH, B. C. Custom mouth protectors: Review of their applications, 238
SENIA, E. S. (*See* Rudd et al), 318
SERRANO, P. T., NICHOLLS, J. I., AND YUODELIS, R. Centric relation change during therapy with corrective occlusion prostheses, 97
SHAKUN, M. L. (*See* Renner et al), 593
SHANKS, J. C. (*See* Knowles et al), 232
SHAY, J. S. (*See* Mansfield and Shay), 49
SHERMAN, JR., J. R. Relocating multiple denture adjustment areas, 436
— Setting artificial acrylic resin teeth in occlusion with natural teeth, 722
— Technique for cleaning modeling compound from metal trays and heater pans, 133
SHETTY, N. S. Comparative observations of use of cusp and zero-degree posterior teeth, 459
SHIDNIA, H. (*See* Ghalichebaf et al), 383
SHIFMAN, A. Recording retromylohyoid space in preliminary irreversible hydrocolloid impressions, 434
SHIU, A. (*See* Ullo et al), 847
SHORER, V., HIRSCHFELD, Z., AND GRAJOWER, R. Dycal: Physical properties and resistance to amalgam condensation, 358
SHOTWELL, J. (*See* Bernier et al), 703
SHUPE, R. J., MOHAMED, S. E., CHRISTENSEN, L. V., FINGER, I. M., AND WEINBERG, R. Effects of occlusal guidance on jaw muscle activity, 811
SILLEVIS SMITT, P. A. E. (*See* Koopmans et al), 461
SILVERMAN, G. Use of prefabricated stainless steel posts and composite core to restore maxillary molar following root amputation, 190
SIMPSON, J. W., HESBY, R. A., PFEIFER, D. L., AND PELLEU, JR., G. B. Arbitrary mandibular hinge axis locations, 819
SINGH, B. P. (*See* Berry and Singh), 397
SLAVKIN, H. C. Congenital craniofacial malformations: Issues and perspectives, 109
SOMES, G. W. (*See* Wesley et al), 467
SORENSEN, J. A., MARTINOFF, M. T. Intracoronal reinforcement and coronal coverage: Study of endodontically treated teeth, 780
SPATAKIS, S. (*See* Abarno and Spatakis), 42
STADE, E. H. (*See* Firtell and Stade), 122
STEEN, W. H. A. Errors of oblique cephalometric radiographic projections of edentulous mandible: Part I. Geometric errors, 411
STEFLIK, D. E. (*See* McKinney et al), 372
STEPHENS, A. P. (*See* Williams et al), 656

STERN, N., AND KOHAVI, D. Repairing crown-sleeve coping prosthesis. Part III, 515
— AND ZALKIND, M. Repairing crown-sleeve coping prosthesis. Part II, 366
STEWART, G. P., BAGLEY, R. L., AND FROEMLING, R. A. Evaluation of reversible hydrocolloid impression material in a wet field, 797
SVARE, C. W. (*See* Dederich et al), 628

T

TANI, Y. (*See* Tsukiboshi and Tani), 503
TANQUIST, R. A. (*See* Brose et al), 755
TARBET, W. J., AXELROD, S., MINKOFF, S., AND FRATARCANGELO, P. A. Denture cleansing: Comparison of two methods, 322
TARLOW, J. L. Method to make resin copings safely, 852
TATUM, JR., H. (*See* Rams et al), 529
TAYLOR, D. T. (*See* Axinn and Taylor), 849
TAYLOR, T. D. (*See* Phankosal and Taylor), 722
TEBROCK, O. C. Improving fit of polycarbonate-resin crowns, 435
TEDESCO, L. A. (*See* Garlapo et al), 268
—. (*See* Jarvis et al), 490
THACKER, JR., R. W. (*See* Mattison et al), 785
THE, J. G. P. (*See* Tjan et al), 24
THOMSON, S. (*See* Tuncay et al), 169
THROCKMORTON, G. S., JOHNSTON, C. P., GONYEA, W. J., AND BELL, W. H. Preliminary study of biomechanical changes produced by orthognathic surgery, 252
TISCHLER, P. (*See* Maroso et al), 599
TJAN, A. H. L., MILLER, G. D., AND THE, J. G. P. Some esthetic factors in smile, 24
—, WHANG, S. B., AND MILLER, G. D. Effect of corrugated channel on retentive properties of obturator-reinforced composite resin dowel-core system, 347
TOBIAS, D. L. (*See* Wood and Tobias), 394
TSAO, D. H., GUILFORD, H. J., KAZANOGLU, A., AND BELL, JR., D. H. Clinical evaluation of radiopaque denture base resin, 456
TSUJI, Y. (*See* Hayakawa et al), 310
TSUKIBOSHI, M., AND TANI, Y. Physical properties of polycarboxylate cement containing tannin-fluoride preparation, 503
TSUTSUI, H. (*See* Sasaki et al), 450
TUNCAY, O. C., THOMSON, S., ABADI, B., AND ELLINGER, C. Cephalometric evaluation of changes in patients wearing complete dentures. Ten-year longitudinal study, 169
TURNER, G. E., FISCHER, T. E., CASTLEBERRY, D. J., AND LEMONS, J. E. Intrinsic color of isophorone polyurethane for maxillofacial prosthetics. Part I: Physical properties, 519; Part II: Color stability, 673
TURNER, K. A. (*See* Dederich et al), 628

U

ULLO, C. A., LYMAN, S., SHIU, A. Soldering index for minimal coverage retainers, 847
UPTON, L. G., SCOTT, R. F., AND HAYWARD, J. R. Major maxillomandibular malrelations and temporomandibular joint pain-dysfunction, 686
USHITA, T. (*See* Sasaki et al), 450

V

VAN SICKELS, J. E., AND MONTGOMERY, M. T. Review of surgical ridge augmentation procedures for atrophied mandible, 5
VEAL, S. J. (*See* Esposito et al), 106
VERMILYEA, S. G. (*See* DeBoer et al), 119
VOGLER III, J. B. (*See* Helms et al), 544
VON FRAUNHOFER, J. A., AND HAMMER, D. W. Microleakage of composite resin restorations, 209
—. (*See* Kern et al), 509
VON GONTEN, A. S., AND ALBRIGHT, L. R. Prosthesis cleaning aid for manually handicapped patients, 283
— AND RUGH, J. D. Nocturnal muscle activity in edentulous patient with and without dentures, 709
— AND WELKER, W. A. Evaluation of accuracy of new plasterless plane line articulator, 428

W

WATSON, J. F. (*See* Crispin et al), 631, 768
WAZNEY, J. T. (*See* Winkler et al), 276
WEINBERG, L. A. Practical evaluation of lateral temporomandibular joint radiograph, 676
WEINBERG, R. (*See* Shupe et al), 811
WEIR, D. J. AND WILLIAMS, B. H. Clinical effectiveness of mechanical-chemical tissue displacement methods, 326
WELKER, W. A. (*See* von Gonten and Welker), 428
WELSCH, B. B. Distribution of radius of curve scribed during protrustion, 518
WELSH, E. L., NUCKLES, D. B., AND HEMBREE, JR., J. H. Microleakage of direct gold restorations: In vitro study, 33
WENTZ, F. M. (*See* Kaldahl et al), 36
WESLEY, R. C., ELLINGER, C. W., AND SOMES, G. W. Patient response to variations in denture techniques. Part VI: Mastication of peanuts and carrots, 467
WESTESSON, P-L. Arthrography of temporomandibular joint, 535
WEYNS, W., AND DE BOEVER, J. Radiographic assessment of marginal fit of cast restorations, 485
WHANG, S. B. (*See* Tjan et al), 347
WILKINSON, T. M. (*See* Gibbs et al), 691
WILLIAMS, C. E. (*See* Bolouri and Williams), 129
WILLIAMS, B. H. (*See* Weir and Williams), 326
WILLIAMS, E. O. (*See* Chance et al), 559
WILLIAMS, F. B., PORTERA, J. J., AND STEPHENS, A. P. Removing cemented metal-ceramic fixed prosthesis without damage: Custom-made appliance, 656
WILLIAMS, V. D., AND DEDMON, H. W. Retentive capacity of rebonded retainers to enamel, 205
WINKLER, S., WONGTHAI, P., AND WAZNEY, J. T. Improved split denture technique, 276
WOELFEL, J. B. (*See* Brose et al), 755
WONGTHAI, P. (*See* Winkler et al), 276
WOOD, M., HALPERN, B. G., AND LAMB, M. F. Visible light-cured composite resins: Alternative for anterior provisional restorations, 192
WOOD, W. W., AND TOBIAS, D. L. EMG response to alteration of tooth contacts on occlusal splints during maximal clenching, 394
WRIGHT, S. M. Use of spring-loaded attachments for retention of removable partial dentures, 605

Y

YOSHIDA, Y. (*See* Sasaki et al), 450
YUODELIS, R. A. (*See* Serrano et al), 97

Z

ZALKIND, M., AVITAL, R., AND REHANY, A. Fabrication of replacement for broken attachment, 714
—. (*See* Stern and Zalkind), 366

## Subject index


A

Accuracy, marginal, of cast restorations, Part II: Silver-plated dies (Crispin et al), 768
Acid-etch techniques, effective method for relining metal-based prostheses with (Garfield), 719
phosphoric, effect of concentrations of, on enamel dissolution (Månson-Rahemtulla et al), 495
Acrylic resin(s) and cast complete crowns, temporary cementation of (Ishikiriama et al), 637
bench-curing (Firtell et al), 431
teeth, setting artificial, in occlusion with natural teeth (Sherman) (Tips), 722
Activity, jaw muscle, effects of occlusal guidance on (Shupe et al), 811
nocturnal muscle, in edentulous patient with and without dentures (von Gonten and Rugh), 709
Adhesive, cyanoacrylate, repairing torn irreversible hydrocolloid impressions with (Phankosal and Taylor) (Tips), 722
Adjustable polyvinylchloride rings, boxing technique with (Axinn and Taylor), 849
Adjustment areas, relocating multiple denture (Sherman) (Tips), 436
Alloy(s), cobalt-chromium-molybdenum, containing berryllium, in vitro response to (Nakamura et al), 790
nickel, and dental amalgam, effect of, on T-lymphocytes: Preliminary report (Eggleston), 617
nonprecious ceramometal, castability study of (Jarvis et al), 490
Amalgam condensation, physical properties and resistance to: Dycal (Shorer et al), 358
dental, and nickel alloys, effect of, on T-lymphocytes: Preliminary report (Eggleston), 617
surface mercury content and roughness after delayed burnishing of (Barbosa et al), 214
American Academy of Restorative Dentistry, report of Committee on Scientific Investigation of (Jendresen et al), 823
Amputation, root, use of prefabricated stainless steel posts and composite core to restore maxillary molar following (Silverman), 190
Analyzers, simplified mandibular motion, and wax interocclusal records, comparison of condylar control settings obtained from (Ecker et al), 404
Anterior fixed partial dentures, cast metal resin-bonded, clinical evaluation of (Eshleman et al), 761
maxillary ridge, hyperplastic, surgical modification of (Keagle and Rahn), 748
pontic design: Logical progression (Porter), 774
provisional restorations, alternative for: Visible light–cured composite resins (Wood et al), 192
Apical seal, effect of post preparation on (Mattison et al), 785
Appliance, custom-made: Removing cemented metal-ceramic fixed prosthesis without damage (Williams et al), 656
Arbitrary hinge axis and hinge axis position, comparison of Bennett shift measured at (Lundeen and Mendoza), 407
mandibular hinge axis locations (Simpson et al), 819
Arthrography of temporomandibular joint (Westesson), 535
Articulator, Hanau, evaluation of third point of reference for mounting maxillary casts on (Bailey and Nowlin), 199
Articulator—cont'd
new plasterless plane line, evaluation of accuracy of (von Gonten and Welker), 428
Artificial acrylic resin teeth, setting, in occlusion with natural teeth (Sherman) (Tips), 722
and natural teeth, psychologic study of self-concept of patients in relation to (Alvi et al), 470
Atrophic maxillae, simplified method for fabricating prong denture for (Bangtson et al), 744
Atrophied mandible, review of surgical ridge augmentation procedures for (Van Sickels and Montgomery), 5
Attachment(s), broken, fabrication of replacement for (Zalkind and Rehany), 714
magnetic, for overdentures (Sasaki et al), 450
use of spring-loaded, for retention of removable partial dentures (Wright), 605
Augmentation endodontic-endosseous implant, development of, and technique for its use: Postoperative evaluation (Curcio), 75
procedures, surgical ridge, for atrophied mandible, review of, (Van Sickels and Montgomery), 5
Axis, arbitrary hinge, and hinge axis position, comparison of Bennett shift measured at (Lundeen and Mendoza), 407
hinge, and arbitrary hinge axis position, comparison of Bennett shift measured at (Lundeen and Mendoza), 407
transfer procedure: Three-dimensional error analysis (Schulte et al), 247
locations, arbitrary mandibular hinge (Simpson et al), 819

B

Base metal and gold solder joints, comparison of strength of (Kriebel et al), 60
Bench-curing acrylic resins (Firtell et al), 431
Bending and fatigue resistance properties of two denture resins, effect of carbon fiber orientation on (DeBoer et al), 119
Bennett movement, study of, Part II: Kinematic investigation of mandibular border movement by means of electronic measuring system (Hobo), 642
shift, immediate, comparison of two methods for measurement of (Lundeen and Mendoza), 243
measured at hinge axis and arbitrary hinge axis position, comparison of (Lundeen and Mendoza), 407
Beryllium, in vitro cell response to cobalt-chromium-molybdenum alloy containing (Nakamura et al), 790
Biofeedback therapy, EMG, effect of, on occlusal contacts (Berry and Singh), 397
Biologic response to single-crystal sapphire endosteal dental implant: Scanning electron microscopic observations (McKinney et al), 372
Biomechanical changes produced by orthognathic surgery, preliminary study of (Throckmorton et al), 252
considerations and measurement system: In vivo forces on endosteal implants (Brunski and Hipp), 82
Bonded-platinum crown: Simplified technique (Donovan et al), 273
-resin anterior fixed partial dentures, cast metal, clinical evaluation of (Eshleman et al), 761


January, 1-142; February, 143-294; March, 295-444; April 445-588; May, 589-732; June, 733-880.

Bonding strengths, interfacial, of paired composite systems (Miranda et al), 29
Border movement(s), mandibular, determination of chronology of, by optical pantography (Chance et al), 559
mandibular, kinematic investigation of, by means of electronic measuring system. Part II: Study of Bennett movement (Hobo), 642
Boxing technique with adjustable polyvinylchloride rings (Axinn and Taylor), 849
Bruxism, nocturnal, and experimental occlusal discrepancies (Rugh et al), 548
Burnishing, delayed, of amalgam, surface mercury content and roughness after (Barbosa et al), 214

C

Cancer patients, myelosuppressed, growth of potential pathogens in denture-soaking solution of (DePaola et al), 554
Candidiasis, oral, during and after radiotherapy, natamycin and nystatin for treatment of (Holst), 226
Carbon fiber orientation, effect of, on fatigue resistance and bending properties of two denture resins (DeBoer et al), 119
Carcinoma, primary, of nasal cavity, shielded radium source carrier nasal stent for treatment of (Ghalichebaf et al), 383
Caries, proximal marginal, alternative treatment of, in crowned teeth (Mansfield and Shay), 49
Carrier, intraoral-extraoral radiation, for tumors of lip (Cameron et al), 70
nasal stent, shielded radium source, for treatment of primary carcinoma of nasal cavity (Ghalichebaf et al), 383
Cast(s) and acrylic resin complete crowns, temporary cementation of (Ishikiriama et al), 637
maxillary, evaluation of third point of reference for mounting, on Hanau articulator (Bailey and Nowlin), 199
metal crowns, complete, effectiveness of pins with (Chan et al), 765
resin-bonded anterior fixed partial dentures, clinical evaluation of (Eshleman et al), 761
post and core technique, modified indirect (Gavelis and Hope), 55
restorations, marginal accuracy of, Part II: Silver-plated dies (Crispin et al), 768
radiographic assessment of marginal fit of (Weyns and De Boever), 485
Castability study of nonprecious ceramometal alloys (Jarvis et al), 490
Cavity design, proximal, effect of, on cementation of Class II inlays (Gelb et al), 202
nasal, shielded radium source carrier nasal stent for treatment of primary carcinoma of (Ghalichebaf et al), 383
varnish, copal rosin, microleakage of (Newman), 499
walls, reinforcement of weakened surrounding, with pins (Bagheri and Chan), 343
Cement(s), polycarboxylate, containing tannin-fluoride preparation, physical properties of (Tsukiboshi and Tani), 503
two, effect of a microbicidal cleaner on retentive strength of (Richter and MacEntee), 46
Cementation of Class II inlays, effect of proximal cavity design on (Gelb et al), 202
temporary, of acrylic resin and cast complete crowns (Ishikiriama et al), 637
temporary, of fixed prosthesis (Juliano) (Tips), 132
Cemented metal-ceramic fixed prosthesis, removing, without damage: Custom-made appliance (Williams et al), 656
Centric relation change during therapy with corrective occlusion prostheses (Serrano et al), 97
Cephalometric evaluation of changes in patients wearing complete dentures. Ten-year longitudinal study (Tuncay et al), 169
Cephalometric—cont'd
radiographic projections, oblique, of edentulous mandible, errors of: Part I. Geometric errors (Steen), 411
Ceramic-metal fixed prosthesis, removing cemented, without damage: Custom-made appliance (Williams et al), 656
Ceramometal(s) fixed restorations, failures in (Barreto), 186
nonprecious, alloys, castability study of (Jarvis et al), 490
effect of repeated firings on margins of (Dederich et al), 628
Changes, biomechanical, produced by orthognathic surgery, preliminary study of (Throckmorton et al), 252
Channel, corrugated, effect of, on retentive properties of obturator-reinforced composite resin dowel-core system (Tjan et al), 347
vents, internal, for posterior complete crowns (Brose et al), 755
Characterization and staining, [of] porcelain surface, in office (Abadie), 181
Chemical-mechanical tissue displacement methods, clinical effectiveness of (Weir and Williams), 326
Chewing cycle in frontal plane, effect of posterior tooth form on (Drago and Rugh), 564
Chromium-cobalt-molybdenum alloy containing beryllium, in vitro cell response to (Nakamura et al), 790
Class II inlays, effect of proximal cavity design on cementation of (Gelb et al), 202
Cleaner, microbicidal, effect of, on retentive strength of two cements (Richter and MacEntee), 46
Cleaning aid, prosthesis, for manually handicapped patients (von Gonten and Albright) (Tips), 283
modeling compound from metal trays and heater pans, technique for (Sherman) (Tips), 133
systems, denture, in vitro testing of three (Palenik and Miller), 751
Cleansing, denture: Comparison of two methods (Tarbet et al), 322
Clenching, maximal, EMG response to alteration of tooth contacts on occlusal splints during (Wood and Tobias), 394
Clinical and laboratory comparison of irreversible hydrocolloid impression techniques (Hollinger et al), 304
procedures, modified, for fabrication of nasal prostheses (Knudson and Saunders), 660
effectiveness of mechanical-chemical tissue displacement methods (Wier and Williams), 326
evaluation, its, and soft denture liner of fluoroethylene-copolymer (Hayakawa et al), 310
of complete denture therapy: Examiner consistency (Bernier et al), 703
of radiopaque denture base resin (Tsao et al), 456
of accuracy of interocclusal recording materials (Fattore et al), 152
study, long-term, of porcelain-fused-to-gold restorations (Coornaert et al), 338
of incidence of pain after operative treatment visit: Part II (Grover et al), 369
Cobalt-chromium-molybdenum alloy containing beryllium, in vitro cell response to (Nakamura et al), 790
Color, intrinsic, of isophorone polyurethane for maxillofacial prosthetics. Part I: Physical properties (Turner et al), 519; Part II: Color stability (Turner et al), 673
stability, Part II: Intrinsic color of isophorone polyurethane for maxillofacial prosthetics (Turner et al), 673
Colorant, superficial, and glaze, effect of, on surface texture of vacuum-fired porcelain (Cook et al), 476
Committee on Scientific Investigation of American Academy of Restorative Dentistry, report of (Jendresen et al), 823
Complete cast metal crowns, effectiveness of pins with (Chan et al), 765
crowns, cast and acrylic resin, temporary cementation of (Ishikiriama et al), 637
posterior, internal channel vents for (Brose et al), 755

Complete—cont'd
denture(s), cephalometric evaluation of changes in patients wearing. Ten-year longitudinal study (Tuncay et al), 169
comprehensive approach to tissue conditioning for (Klein and Lennon), 147
current concepts for relining: Survey (Nassif and Jumbelic), 11
general considerations prior to relining of (Jumbelic and Nassif), 158
incidence of mandibular dysfunction symptoms in individuals who remove their, during sleep (Hansen and Axinn), 16
maxillary, esthetic reconstruction and rebase procedure for (McCartney), 571
patient pool, declining, in dental schools (Firtell and Stade), 122
physiologic determinants of primary impressions for (Klein and Goldstein), 611
sterilization of, with sodium hypochlorite (Rudd et al), 318
therapy, clinical evaluation of: Examiner consistency (Bernier et al), 703
using existing, as surgical template (Bolouri and Williams), 129
maxillary denture, method of restoring palatal form in (Kaufman and Cardash), 126
Composite core and prefabricated stainless steel posts, use of, to restore maxillary molar following root amputation (Silverman), 190
resin(s) dowel-core system, obturator-reinforced, effect of corrugated channel on retentive properties of (Tjan et al), 347
restorations, microleakage of (von Fraunhofer and Hammer), 209
visible light–cured: Alternative for anterior provisional restorations (Wood et al), 192
systems, paired, interfacial bonding strengths of (Miranda et al), 29
Composition, gauging water, influence of, on dental stone expansion and setting time (Brukl et al), 218
Compound, modeling, technique for cleaning, from metal trays and heater pans (Sherman) (Tips), 133
stick modeling, technique for manipulation of small lengths of (Donahue and Donahue), 853
Computed tomography of temporomandibular joint meniscus displacement, diagnosis by (Helms et al), 544
Condensation, amalgam, physical properties and resistance to: Dycal (Shorer et al), 358
Condylar control settings obtained from wax interocclusal records and simplified mandibular motion analyzers, comparison of (Ecker et al), 404
Congenital craniofacial malformations: Issues and perspectives (Slavkin), 109
Contacts, occlusal, effect of EMG biofeedback therapy on (Berry and Singh), 397
tooth, on occlusal splints during maximal clenching, EMG response to alteration of (Wood and Tobias), 394
Control settings, condylar, obtained from wax interocclusal records and simplified mandibular motion analyzers, comparison of (Ecker et al), 404
Copal rosin cavity varnish, microleakage of (Newman), 499
Coping(s), resin, method to make, safely (Tarlow), 852
sleeve-crown, prosthesis, repairing. Part II (Stern and Zalkind), 366; Part III (Stern and Kohavi), 515
Copolymer-fluoroethylene, soft denture liner of, and its clinical evaluation (Hayakawa et al), 310
Copper bands, annealed, ultrasonic hardening of (De Clerck) (Tips), 132
Core and dowel techniques for endodontically treated molars, in vitro comparison of two (Kern et al), 509
post technique, modified indirect cast (Gavelis and Hope), 55
Core—cont'd
composite, and prefabricated stainless steel posts, use of, to restore maxillary molar following root amputation (Silverman), 190
-dowel system, obturator-reinforced composite resin, effect of corrugated channel on retentive properties of (Tjan et al), 347
Coronal coverage and intracoronal reinforcement: Study of endodontically treated teeth (Sorensen and Martinoff), 780
Corrective occlusion prostheses, centric relation change during therapy with (Serrano et al), 97
Corrugated channel, effect of, on retentive properties of obturator-reinforced composite resin dowel-core system (Tjan et al), 347
Coverage, coronal, and intracoronal reinforcement: Study of endodontically treated teeth (Sorensen and Martinoff), 780
minimal, retainers, soldering index for (Ullo et al), 847
Craniofacial malformations, congenital: Issues and perspectives (Slavkin), 109
Crown(s), acrylic resin and cast complete, temporary cementation of (Ishikiriama et al), 637
complete cast metal, effectiveness of pins with (Chan et al), 765
platinum-bonded: Simplified technique (Donovan et al), 273
polycarbonate-resin, improving fit of (Tebrock) (Tips), 435
porcelain jacket, two-die system for constructing (Schmitt), 195
posterior complete, internal channel vents for (Brose et al), 755
-sleeve coping prosthesis, repairing. Part II (Stern and Zalkind), 366; Part III (Stern and Kohavi), 515
Crowned teeth, alternative treatment of proximal marginal caries in (Mansfield and Shay), 49
Crystal-single sapphire endosteal dental implant, biologic response to: Scanning electron microscopic observations (McKinney et al), 372
Curing-bench acrylic resins (Firtell et al), 431
Curve scribed during protrusion, distribution of radius of (Welsch), 518
Cusp and zero-degree posterior teeth, comparative observations of use of (Shetty), 459
Custom-made appliance: Removing cemented metal-ceramic fixed prosthesis without damage (Williams et al), 656
prostheses used to support oral and maxillofacial surgery (Kraut and Connelly), 663
Cyanoacrylate adhesive, repairing torn irreversible hydrocolloid impressions with (Phankosal and Taylor) (Tips), 722
veneer facing: Alternate approach (Neihart), 777
Cycle, chewing, in frontal plane, effect of posterior tooth form on (Drago and Rugh), 564

## D

Dental amalgam and nickel alloys, effect of, on T-lymphocytes: Preliminary report (Eggleston), 617
education, discrepancies in: Is general practice influenced by design or default? (Garlapo et al), 268
implant(s), human, subgingival microbial flora associated with (Rams et al), 529
single-crystal sapphire endosteal, biologic response to: Scanning electron microscopic observations (McKinney et al), 372
schools, declining complete denture patient pool in (Firtell and Stade), 122
stone expansion and setting time, influence of gauging water composition on (Brukl et al), 218
Dentistry, implant, personal perspective of (Atwood), 801
restorative, periodontal surgical preparation for specific problems in (Kaldahl et al), 36
report of Committee on Scientific Investigation of American Academy of (Jendresen et al), 823
Dentitions, varied, nutritional intake of geriatric patients with (Baxter), 164

Denture(s) adjustment areas, relocating multiple (Sherman) (Tips), 436
base resin, radiopaque, clinical evaluation of (Tsao et al), 456
cast metal resin-bonded anterior fixed partial, clinical evaluation of (Eshleman et al), 761
cleaning systems, in vitro testing of three (Palenik and Miller), 751
cleansing: Comparison of two methods (Tarbet et al), 322
complete, cephalometric evaluation of changes in patients wearing. Ten-year longitudinal study (Tuncay et al), 169
comprehensive approach to tissue conditioning for (Klein and Lennon), 147
current concepts for relining: Survey (Nassif and Jumbelic), 11
general considerations prior to relining of (Jumbelic and Nassif), 158
incidence of mandibular dysfunction symptoms in individuals who remove their, during sleep (Hansen and Axinn), 16
maxillary, method of restoring palatal form in (Kaufman and Cardash), 126
patient pool, declining, in dental schools (Firtell and Stade), 122
physiologic determinants of primary impressions for (Klein and Goldstein), 611
sterilization of, with sodium hypochlorite (Rudd et al), 318
using existing, as surgical template (Bolouri and Williams), 129
existing removable partial, fabrication of full coverage restorations for (McArthur), 574
extensions, use of disclosing wax to evaluate (Logan and Nimmo), 280
liner, soft, of fluoroethylene-copolymer and its clinical evaluation (Hayakawa et al), 310
maxillary complete, esthetic reconstruction and rebase procedure for (McCartney), 571
nocturnal muscle activity in edentulous patient with and without (von Gonten and Rugh), 709
overlay and onlay removable partial, treatment of open occlusions with (Farmer and Connelly), 300
prong, for atrophic maxillae, simplified method for fabricating (Bangtson et al), 744
removable partial, clinical evaluation of patients eight to nine years after placement of (Chandler and Brudvik), 736
use of spring-loaded attachments for retention of (Wright), 605
resins, two, effect of carbon fiber orientation on fatigue resistance and bending properties of (DeBoer et al), 119
-soaking solution of myelosuppressed cancer patients, growth of potential pathogens in (DePaola et al), 554
split, improved, technique (Winkler et al), 276
stomatitis, efficacy of 2.5% Pimafucin suspension in treatment of (Koopmans et al), 461
techniques, patient response to variations in. Part VI: Mastication of peanuts and carrots (Wesley et al), 467
therapy, complete, clinical evaluation of: Examiner consistency (Bernier et al), 703
Design, anterior pontic: Logical progression (Porter), 774
Dies, silver-plated. Part I: Platability of impression materials (Crispin et al), 631; Part II: Marginal accuracy of cast restorations (Crispin et al), 768
Disclosing wax to evaluate denture extensions, use of (Logan and Nimmo), 280
Disorders, organic temporomandibular joint, and myofascial pain-dysfunction syndrome, predictors of treatment outcome in patients with (Lipton and Marbach), 387
Displacement methods, tissue, mechanical-chemical, clinical effectiveness of (Weir and Williams), 326
Displacement—cont'd
temporomandibular joint meniscus, diagnosis by computed tomography of (Helms et al), 544
Dissolution, enamel, effect of concentrations of phosphoric acid on (Månson-Rahemtulla et al), 495
Dowel and core techniques for endodontically treated molars, in vitro comparison of two (Kern et al), 509
-core system, obturator-reinforced composite resin, effect of corrugated channel on retentive properties of (Tjan et al), 347
system, new, retention and stress-distributing characteristics of (Caputo and Hokama), 652
Dycal: Physical properties and resistance to amalgam condensation (Shorer et al), 358
Dysfunction-pain syndrome, myofascial, and organic temporomandibular joint disorders, predictors of treatment outcome in patients with (Lipton and Marbach), 387
temporomandibular joint, approach to management of (Reade), 91
temporomandibular joint, and major maxillomandibular malrelations (Upton et al), 686
symptoms, mandibular, incidence of, in individuals who remove their complete denture(s) during sleep (Hansen and Axinn), 16

E

Edentulous mandible, errors of oblique cephalometric radiographic projections of: Part I. Geometric errors (Steen), 411
patient(s), influence of prostheses on mandibular posture in (Heath and Boutros), 602
nocturnal muscle activity in, with and without dentures (von Gonten and Rugh), 709
Education, dental, discrepancies in: Is general practice influenced by design or default? (Garlapo et al), 268
Electron microscopic observations, scanning: Biologic response to single-crystal sapphire endosteal dental implant (McKinney et al), 372
Electronic measuring system, kinematic investigation of mandibular border movement by means of. Part II: Study of Bennett movement (Hobo), 642
EMG activity of superior belly of lateral pterygoid muscle in relation to other jaw muscles (Gibbs et al), 691
biofeedback therapy, effect of, on occlusal contacts (Berry and Singh), 397
response to alteration of tooth contacts on occlusal splints during maximal clenching (Wood and Tobias), 394
Enamel dissolution, effect of concentrations of phosphoric acid on (Månson-Rahemtulla et al), 495
retentive capacity of rebonded retainers to (Williams and Dedmon), 205
Endodontic-endosseous implant, augmentation, development of, and technique for its use: Postoperative evaluation (Curcio), 75
Endodontically treated molars, in vitro comparison of two dowel and core techniques for (Kern et al), 509
teeth, study of: Intracoronal reinforcement and coronal coverage (Sorensen and Martinoff), 780
Endosseous-endodontic implant, augmentation, development of, and technique for its use: Postoperative evaluation (Curcio), 75
Endosteal dental implant, single-crystal sapphire, biologic response to: Scanning electron microscopic observations (McKinney et al), 372
implants, in vivo forces on: Measurement system and biomechanical considerations (Brunski and Hipp), 82
Error analysis, three-dimensional: Hinge axis transfer procedure (Schulte et al), 247
Esthetic factors in smile, some (Tjan and Miller), 24

Esthetic—cont'd
reconstruction and rebase procedure for maxillary complete dentures (McCartney), 571
Etch-acid techniques, effective method for relining metal-based prostheses with (Garfield), 719
Examiner consistency: Clinical evaluation of complete denture therapy (Bernier et al), 703
Expansion and setting time, influence of gauging water composition on (Brukl et al), 218
Extensions, denture, use of disclosing wax to evaluate (Logan and Nimmo), 280
Extraoral-intraoral radiation carrier for tumors of lip (Cameron et al), 70

F

Fabricate temporary immediate provisional restorations and evaluate preparations, using irreversible hydrocolloid to (Moskowitz et al), 330
Fabricating prong denture for atrophic maxillae, simplified method for (Bangtson et al), 744
Fabrication of maxillary hollow obturator prosthesis, simplified approach to (Knapp), 67
nasal prostheses, modified clinical and laboratory procedures for (Knudson and Saunders), 660
replacement for broken attachment (Zalkind and Rehany), 714
Facing, cyanoacrylate veneer: Alternate approach (Neihart), 777
Fatigue resistance and bending properties of two denture resins, effect of carbon fiber orientation on (DeBoer et al), 119
Fiber, carbon, orientation, effect of, on fatigue resistance and bending properties of two denture resins (DeBoer et al), 119
Field, wet, evaluation of reversible hydrocolloid impression material in (Stewart et al), 797
Fiberglass splints, intermediate (Friskopp and Blomlof), 334
Firings, repeated, effect of, on margins of nonprecious ceramometals (Dederich et al), 628
Fit, marginal, of cast restorations, radiographic assessment of (Weyns and De Boever), 485
of polycarbonate-resin crowns, improving (Tebrock) (Tips), 435
Fixed partial dentures, cast metal resin-bonded anterior, clinical evaluation of (Eshleman et al), 761
prostheses, posterior, pontic design of: Is it a microbial misadventure? (Parkinson and Schaberg), 51
prosthesis, removing cemented metal-ceramic, without damage: Custom-made appliance (Williams et al), 656
temporary cementation of (Juliano) (Tips), 132
restorations, ceramometal, failures in (Barreto), 186
Flora, subgingival microbial, associated with human dental implants (Rams et al), 529
Fluoride-tannin preparation, physical properties of polycarboxylate cement containing (Tsukiboshi and Tani), 503
Fluoroethylene-copolymer, soft denture liner of, and its clinical evaluation (Hayakawa et al), 310
Form, palatal, method of restoring, in complete maxillary denture (Kaufman and Cardash), 126
Fractured tooth, treating, periodontal considerations relevant to (Schneider and Binder), 624
Framework retention for maxillary obturator prostheses (Martin and King), 669
Frontal plane, effect of posterior tooth form on chewing cycle in (Drago and Rugh), 564
Full coverage restorations for existing removable partial dentures, fabrication of (McArthur), 574

G

Gauging water composition, influence of, on dental stone expansion and setting time (Brukl et al), 218
General practice, is [it] influenced by design or default: Discrepancies in dental education (Garlapo et al), 268
Geometric errors, Part I: Errors of oblique cephalometric radiographic projections of edentulous mandible (Steen), 411
Geriatric patients with varied dentitions, nutritional intake of (Baxter), 164
Gingival margin, exposing: Systematic approach for control of hemorrhage (Nemetz et al), 647
Glaze and superficial colorant, effect of, on surface texture of vacuum-fired porcelain (Cook et al), 476
Glossectomy patient, partial, functional speech impression used to fabricate maxillary speech prosthesis for (Knowles et al), 232
Gold and base metal solder joints, comparison of strength of (Kriebel et al), 60
fused-to-porcelain restorations, long-term clinical study of (Coornaert et al), 338
restorations, direct, microleakage of: In vitro study (Welsh et al), 33
Guidance, occlusal, on jaw muscle activity, effects of (Shupe et al), 811

H

Handicapped patients, manually, prosthesis cleaning aid for (von Gonten and Albright) (Tips), 283
Health status, periodontal, of overdenture patients, four-year longitudinal study of (Renner et al), 593
Heater pans and metal trays, technique for cleaning modeling compound from (Sherman) (Tips), 133
Hemorrhage, systematic approach for control of: Exposing gingival margin (Nemetz et al), 647
Hinge axis and arbitrary hinge axis position, comparison of Bennett shift measured at (Lundeen and Mendoza), 407
arbitrary, and hinge axis position, comparison of Bennett shift measured at (Lundeen and Mendoza), 407
locations, arbitrary mandibular (Simpson et al), 819
transfer procedure: Three-dimensional error analysis (Schulte et al), 247
Hollow obturator prosthesis, maxillary, simplified approach to fabrication of (Knapp), 67
Hydrocolloid impression(s) material, reversible, evaluation of, in wet field (Stewart et al), 797
preliminary irreversible, recording retromylohyoid space in (Shifman) (Tips), 434
repairing torn irreversible, with cyanoacrylate adhesive (Phankosal and Taylor) (Tips), 722
techniques, irreversible, clinical and laboratory comparison of (Hollinger et al), 304
using irreversible, to evaluate preparations and fabricate temporary immediate provisional restorations (Moskowitz et al), 330
Hyperplastic anterior maxillary ridge, surgical modification of (Keagle and Rahn), 748

I

Immediate Bennett shift, comparison of two methods for measurement of (Lundeen and Mendoza), 243
provisional restorations, temporary, using irreversible hydrocolloid to evaluate preparations and fabricate (Moskowitz et al), 330
Implant(s), augmentation endodontic-endosseous, development of, and technique for its use: Postoperative evaluation (Curcio), 75
dentistry, personal perspective of (Atwood), 801
endosteal, in vivo forces on: Measurement system and biomechanical considerations (Brunski and Hipp), 82
human dental, subgingival microbial flora associated with (Rams et al), 529
single-crystal sapphire endosteal dental, biologic response to: Scanning electron microscopic observations (McKinney et al), 372

Impression(s), functional speech, used to fabricate maxillary speech prosthesis for partial glossectomy patient (Knowles et al), 232
material(s), platability of, Part I: Silver plated dies (Crispin et al), 631
reversible hydrocolloid, evaluation of, in wet field (Stewart et al), 797
maxillary polysulfide, easy removal of, from mouth (Samant and Martine) (Tips), 282
preliminary irreversible hydrocolloid, recording retromylohyoid space in (Shifman) (Tips), 434
primary, for complete dentures, physiologic determinants of (Klein and Goldstein), 611
repairing torn irreversible hydrocolloid, with cyanoacrylate adhesive (Phankosal and Taylor) (Tips), 722
techniques for preparations with shoulders (Abarno and Spatakis), 42
irreversible hydrocolloid, clinical and laboratory comparison of (Hollinger et al), 304
Incidence of pain after operative treatment visit, review of: Part I (Grover et al), 244; clinical study of: Part II (Grover et al), 369
Index, soldering, for minimal coverage retainers (Ullo et al), 847
Indirect cast post and core technique, modified (Gavelis and Hope), 55
Inlays, Class II, effect of proximal cavity design on cementation of (Gelb et al), 202
Intake, nutritional, of geriatric patients with varied dentitions (Baxter), 164
Interfacial bonding strengths of paired composite systems (Miranda et al), 29
Interim obturator, use of, for definitive prosthesis fabrication (Martin et al), 527
Intermediate fiberglass splints (Friskopp and Blomlof), 334
Internal channel vents for posterior complete crowns (Brose et al), 755
Interocclusal records, wax, and simplified mandibular motion analyzers, comparison of condylar control settings obtained from (Ecker et al), 404
recording materials, clinical evaluation of accuracy of (Fattore et al), 152
Intracoronal reinforcement and coronal coverage: Study of endodontically treated teeth (Sorensen and Martinoff), 780
Intranasal prostheses, laboratory techniques for construction of (Davenport et al), 577
Intraoral-extraoral radiation carrier for tumors of lip (Cameron et al), 70
Intrinsic color of isophorone polyurethane for maxillofacial prosthetics. Part I: Physical properties (Turner et al), 519; Part II: Color stability (Turner et al), 673
Irradiated patient, overdentures for (McDermott and Rosenberg), 314
Irreversible hydrocolloid impression(s), preliminary, recording retromylohyoid space in (Shifman) (Tips), 434
repairing torn, with cyanoacrylate adhesive (Phankosal and Taylor) (Tips), 722
techniques, clinical and laboratory comparison of (Hollinger et al), 304
using, to evaluate preparations and fabricate temporary immediate provisional restorations (Moskowitz et al), 330
Isophorone polyurethane for maxillofacial prosthetics, intrinsic color of. Part I: Physical properties (Turner et al), 519; Part II: Color stability (Turner et al), 673

J

Jaw muscle(s) activity, effects of occlusal guidance on (Shupe et al), 811
other, EMG activity of superior belly of lateral pterygoid muscle in relation to (Gibbs et al), 691
Joint disorders, organic temporomandibular, and myofascial pain-dysfunction syndrome, predictors of treatment outcome in patients with (Lipton and Marbach), 387
lateral temporomandibular, radiograph, practical evaluation of (Weinberg), 676
temporomandibular, arthrography of (Westesson), 535
meniscus displacement, diagnosis by computed tomography of (Helms et al), 544
pain-dysfunction and major maxillomandibular malrelations (Upton et al), 686

K

Kinematic investigation of mandibular border movement by means of electronic measuring system. Part II: Study of Bennett movement (Hobo), 642

L

Laboratory and clinical comparison of irreversible hydrocolloid impression techniques (Hollinger et al), 304
procedures, modified, for fabrication of nasal prostheses (Knudson and Saunders), 660
techniques for construction of intranasal prostheses (Davenport et al), 577
Lateral pterygoid muscle, EMG activity of superior belly of, in relation to other jaw muscles (Gibbs et al), 691
temporomandibular joint radiograph, practical evaluation of (Weinberg), 676
Light-cured, visible, composite resins: Alternative for anterior provisional restorations (Wood et al), 192
Liner, soft denture, of fluoroethylene-copolymer and its clinical evaluation (Hayakawa et al), 310
Lip, tumors of, intraoral-extraoral radiation carrier for (Cameron et al), 70
Lymphocytes-T, effect of dental amalgam and nickel alloys on: Preliminary report (Eggleston), 617

M

Magnetic retention of overdentures, simplified technique for (Maroso et al), 599
Malformations, congenital craniofacial: Issues and perspectives (Slavkin), 109
Malrelations, major maxillomandibular, and temporomandibular joint pain-dysfunction (Upton et al), 686
Mandible, atrophied, review of surgical ridge augmentation procedures for (Van Sickels and Montgomery), 5
edentulous, errors of oblique cephalometric radiographic projections of: Part I. Geometric errors (Steen), 411
Mandibular border movement(s), determination of chronology of, by optical pantography (Chance et al), 559
kinematic investigation of, by means of electronic measuring system. Part II: Study of Bennett movement (Hobo), 642
dysfunction symptoms, incidence of, in individuals who remove their complete denture(s) during sleep (Hansen and Axinn), 16
hinge axis locations, arbitrary (Simpson et al), 819
motion analyzers, simplified, and wax interocclusal records, comparison of condylar control settings obtained from (Ecker et al), 404
posture in edentulous patients, influence of prostheses on (Heath and Boutros), 602
Margin(s), exposing gingival: Systematic approach for control of hemorrhage (Nemetz et al), 647
of nonprecious ceramometals, effect of repeated firings on (Dederich et al), 628
Marginal accuracy of cast restorations, Part II: Silver-plated dies (Crispin et al), 768
caries, proximal, alternative treatment of, in crowned teeth (Mansfield and Shay), 49

Marginal—cont'd
fit of cast restorations, radiographic assessment of (Weyns and De Boever), 485
Mastication of peanuts and carrots, Part VI: Patient response to variations in denture techniques (Wesley et al), 467
Materials, interocclusal recording, clinical evaluation of accuracy of (Fattore et al), 152
Matrices, contoured mylar (Medlock and Re), 364
Maxillae, atrophic, simplified method for fabricating prong denture for (Bangtson et al), 744
Maxillary casts, evaluation of third point of reference for mounting, on Hanau articulator (Bailey and Nowlin), 199
complete dentures, esthetic reconstruction and rebase procedure for (McCartney), 571
denture, complete, method of restoring palatal form in (Kaufman and Cardash), 126
hollow obturator prosthesis, simplified approach to fabrication of (Knapp), 67
impressions, polysulfide, easy removal of, from mouth (Samant and Martine) (Tips), 292
molar, use of prefabricated stainless steel posts and composite core to restore, following root amputation (Silverman), 190
obturator prostheses, framework retention for (Martin and King), 669
ridge, hyperplastic anterior, surgical modification of (Keagle and Rahn), 748
speech prosthesis for partial glossectomy patient, functional speech impression used to fabricate (Knowles et al), 232
Maxillofacial and oral surgery, custom prostheses used to support (Kraut and Connelly), 663
prosthetics, intrinsic color of isophorone polyurethane for. Part I: Physical properties (Turner et al), 519; Part II: Color stability (Turner et al), 673
Maxillomandibular malrelations, major, and temporomandibular joint pain-dysfunction (Upton et al), 686
Maximal clenching, EMG response to alteration of tooth contacts on occlusal splints during (Wood and Tobias), 394
MDX-4-4210 and polydimethyl siloxane silicone materials, in vitro comparison study between (Abdelnnabi et al), 523
Measurement of immediate Bennett shift, comparison of two methods for (Lundeen and Mendoza), 243
system and biomechanical considerations: In vivo forces on endosteal implants (Brunski and Hipp), 82
Measuring system, electronic, kinematic investigation of mandibular border movement by means of. Part II: Study of Bennett movement (Hobo), 642
Mechanical-chemical tissue displacement methods, clinical effectiveness of (Weir and Williams), 326
Meniscus displacement, temporomandibular joint, diagnosis by computed tomography of (Helms et al), 544
Mercury, surface, content and roughness after delayed burnishing of amalgam (Barbosa et al), 214
Metal, base, and gold solder joints, comparison of strength of (Kriebel et al), 60
-based prostheses, relining, with acid-etch techniques, effective method for (Garfield), 719
cast, resin-bonded anterior fixed partial dentures (Eshleman et al), 761
-ceramic fixed prosthesis, removing cemented, without damage: Custom-made appliance (Williams et al), 656
crowns, complete cast, effectiveness of pins with (Chan et al), 765
molds, reusable, for ocular parts of orbital prostheses (Casey), 804
Teflon-coated, plaque accumulation on (Maetani et al), 353
trays and heater pans, technique for cleaning modeling compound from (Sherman) (Tips), 133
Microbial flora, subgingival, associated with human dental implants (Rams et al), 529
Microbial—cont'd
misadventure, is it a: Pontic design of posterior fixed partial prostheses (Parkinson and Schaberg), 51
Microbicidal cleaner, effect of, on retentive strength of two cements (Richter and MacEntee), 46
Microleakage of composite resin restorations (von Fraunhofer and Hammer), 209
copal rosin cavity varnish (Newman), 499
direct gold restorations: In vitro study (Welsh et al), 33
Microscopic observations, scanning electron: Biologic response to single-crystal sapphire endosteal dental implant (McKinney et al), 372
Minimal coverage retainers, soldering index for (Ullo et al), 847
Modeling compound, stick, technique for manipulation of small lengths of (Donahue and Donahue), 853
Molars, endodontically treated, in vitro comparison of two dowel and core techniques for (Kern et al), 509
maxillary, use of prefabricated stainless steel posts and composite core to restore, following root amputation (Silverman), 190
Molds, reusable metal, for ocular parts of orbital prostheses (Casey), 804
Molybdenum-cobalt-chromium alloy containing beryllium, in vitro cell response to (Nakamura et al), 790
Motion analyzers, simplified mandibular, and wax interocclusal records, comparison of condylar control settings obtained from (Ecker et al), 404
Mounting maxillary casts on Hanau articulator, evaluation of third point of reference for (Bailey and Nowlin), 199
Mouth, easy removal of polysulfide maxillary impressions from (Samant and Martine) (Tips), 282
protectors, custom: Review of their applications (Seals and Dorrough), 238
Movement(s), Bennett, study of, Part II: Kinematic investigation of mandibular border movement by means of electronic measuring system (Hobo), 642
mandibular border, determination of chronology of, by optical pantography (Chance et al), 559
kinematic investigation of, by means of electronic measuring system. Part II: Study of Bennett movement (Hobo), 642
Multiple denture adjustment areas, relocating (Sherman) (Tips), 436
Muscle(s) activity, jaw, effects of occlusal guidance on (Shupe et al), 811
nocturnal, in edentulous patient with and without dentures (von Gonten and Rugh), 709
other jaw, EMG activity of superior belly of lateral pterygoid muscle in relation to (Gibbs et al), 691
superior belly of lateral pterygoid, EMG activity of, in relation to other jaw muscles (Gibbs et al), 691
Myelosuppressed cancer patients, growth of potential pathogens in denture-soaking solution of (DePaola et al), 554
Mylar matrices, contoured (Medlock and Re), 364
Myofascial pain, alleviation of, with ultrasonic therapy (Esposito et al), 106
-dysfunction syndrome and organic temporomandibular joint disorders, predictors of treatment outcome in patients with (Lipton and Marbach), 387

## N

Nasal cavity, shielded radium source carrier nasal stent for treatment of primary carcinoma of (Ghalichebaf et al), 383
prostheses, modified clinical and laboratory procedures for fabrication of (Knudson and Saunders), 660
stent, shielded radium source carrier, for treatment of primary carcinoma of nasal cavity (Ghalichebaf et al), 383
Natamycin and nystatin for treatment of oral candidiasis during and after radiotherapy (Holst), 226

Natural and artificial teeth, psychologic study of self-concept of patients in relation to (Alvi et al), 470
teeth, setting artificial acrylic resin teeth in occlusion with (Sherman) (Tips), 722
Nickel alloys and dental amalgam, effect of, on T-lymphocytes: Preliminary report (Eggleston), 617
Nocturnal bruxism and experimental occlusal discrepancies (Rugh et al), 548
muscle activity in edentulous patient with and without dentures (von Gonten and Rugh), 709
Nonprecious ceramometal(s) alloys, castability study of (Jarvis et al), 490
effect of repeated firings on margins of (Dederich et al), 628
Nutritional intake of geriatric patients with varied dentitions (Baxter), 164
Nystatin and natamycin for treatment of oral candidiasis during and after radiotherapy (Holst), 226

O

Oblique cephalometric radiographic projections of edentulous mandible, errors of: Part I. Geometric errors (Steen), 411
Obturator, interim, use of, for definitive prosthesis fabrication (Martin et al), 527
prosthesis(es), maxillary, framework retention for (Martin and King), 669
hollow, simplified approach to fabrication of (Knapp), 67
-reinforced composite resin dowel-core system, effect of corrugated channel on retentive properties of (Tjan et al), 347
Occlusal contacts, effect of EMG biofeedback therapy on (Berry and Singh), 397
discrepancies, experimental, and nocturnal bruxism (Rugh et al), 548
guidance on jaw muscle activity, effects of (Shupe et al), 811
splints, EMG response to alteration of tooth contacts on, during maximal clenching (Wood and Tobias), 394
Occlusion(s), open, treatment of, with onlay and overlay removable partial dentures (Farmer and Connelly), 300
prostheses, corrective, centric relation change during therapy with (Serrano et al), 97
with natural teeth, setting artificial acrylic resin teeth in (Sherman) (Tips), 722
Ocular parts of orbital prostheses, reusable metal molds for (Casey), 804
portion of orbital prosthesis, method for orienting (Jooste), 380
Onlay and overlay removable partial dentures, treatment of open occlusions with (Farmer and Connelly), 300
Operative treatment visit, clinical study of incidence of pain after: Part II (Grover et al), 369
review of incidence of pain after: Part I (Grover et al), 224
Optical pantography, determination of chronology of mandibular border movements by (Chance et al), 559
Oral and maxillofacial surgery, custom prostheses used to support (Kraut and Connelly), 663
candidiasis during and after radiotherapy, natamycin and nystatin for treatment of (Holst), 226
Orbital prosthesis(es), method for orienting ocular portion of (Jooste), 380
reusable metal molds for ocular parts of (Casey), 804
Organic temporomandibular joint disorders and myofascial pain-dysfunction syndrome, predictors of treatment outcome in patients with (Lipton and Marbach), 387
Orienting ocular portion of orbital prosthesis, method for (Jooste), 380
Orthognathic surgery, preliminary study of biomechanical changes produced by (Throckmorton et al), 252
Overdenture(s) for irradiated patient (McDermott and Rosenberg), 314
magnetic attachment for (Sasaki et al), 450
Overdenture(s)—cont'd
patients, four-year longitudinal study of periodontal health status of (Renner et al), 593
simplified technique for magnetic retention of (Maroso et al), 599
Overlay and onlay removable partial dentures, treatment of open occlusions with (Farmer and Connelly), 300

P

Pain after operative treatment visit, clinical study of incidence of: Part II (Grover et al), 369
review of incidence of: Part I (Grover et al), 224
-dysfunction syndrome, myofascial, and organic temporomandibular joint disorders, predictors of treatment outcome in patients with (Lipton and Marbach), 387
temporomandibular joint, approach to management of (Reade), 91
temporomandibular joint, and major maxillomandibular malrelations (Upton et al), 686
myofascial, alleviation of, with ultrasonic therapy (Esposito et al), 106
Palatal form, method of restoring, in complete maxillary denture (Kaufman and Cardash), 126
major connector, split, photoelastic study of (Reitz et al), 19
seal, obtaining posterior (Miller), 717
Pantography, optical, determination of chronology of mandibular border movements by (Chance et al), 559
Partial dentures, cast metal resin-bonded anterior fixed, clinical evaluation of (Eshleman et al), 761
existing removable, fabrication of full coverage restorations for (McArthur), 574
overlay and onlay removable, treatment of open occlusions with (Farmer and Connelly), 300
removable, clinical evaluation of patients eight to nine years after placement of (Chandler and Brudvik), 736
use of spring-loaded attachments for retention of (Wright), 605
Partial glossectomy patient, functional speech impression used to fabricate maxillary speech prosthesis for (Knowles et al), 232
prostheses, posterior fixed, pontic design of: Is it a microbial misadventure? (Parkinson and Schaberg), 51
Pathogens, potential, growth of, in denture-soaking solution of myelosuppressed cancer patients (DePaola et al), 554
Patient(s), clinical evaluation of, eight to nine years after placement of removable partial dentures (Chandler and Brudvik), 736
declining complete denture, pool in dental schools (Firtell and Stade), 122
edentulous, influence of prostheses on mandibular posture in (Heath and Boutros), 602
nocturnal muscle activity in, with and without dentures (von Gonten and Rugh), 709
geriatric, with varied dentitions, nutritional intake of (Baxter), 164
irradiated, overdentures for (McDermott and Rosenberg), 314
manually handicapped, prosthesis cleaning aid for (von Gonten and Albright) (Tips), 283
myelosuppressed cancer, growth of potential pathogens in denture-soaking solution of (DePaola et al), 554
overdenture, four-year longitudinal study of periodontal health status of (Renner et al), 593
partial glossectomy, functional speech impression used to fabricate maxillary speech prosthesis for (Knowles et al), 232
psychologic study of self-concept of, in relation to artificial and natural teeth (Alvi et al), 470
response to variations in denture techniques. Part VI: Mastication of peanuts and carrots (Wesley et al), 467
wearing complete dentures, cephalometric evaluation of changes in. Ten-year longitudinal study (Tuncay et al), 169

Patient(s)—cont'd
with myofascial pain-dysfunction syndrome and organic temporomandibular joint disorders, predictors of treatment outcome in patients with (Lipton and Marbach), 387
Periodontal considerations relevant to treating fractured tooth (Schneider and Binder), 624
health status of overdenture patients, four-year longitudinal study of (Renner et al), 593
surgical preparation for specific problems in restorative dentistry (Kaldahl et al), 36
Phosphoric acid, effect of concentrations of, on enamel dissolution (Månson-Rahemtulla et al), 495
Photoelastic study of split palatal major connector (Reitz et al), 19
Physiologic determinants of primary impressions for complete dentures (Klein and Goldstein), 611
Pimafucin suspension, 2.5%, in treatment of denture stomatitis, efficacy of (Koopmans et al), 461
Pins, reinforcement of weakened surrounding cavity walls with (Bagheri and Chan), 343
with complete cast metal crowns, effectiveness of (Chan et al), 765
Placement of removable partial dentures, clinical evaluation of patients eight to nine years after (Chandler and Brudvik), 736
Plane, frontal, effect of posterior tooth form on chewing cycle in (Drago and Rugh), 564
line articulator, new plasterless, evaluation of accuracy of (von Gonten and Welker), 428
Plaque accumulation on Teflon-coated metal (Maetani et al), 353
Plasterless plane line articulator, new, evaluation of accuracy of (von Gonten and Welker), 428
Platability of impression materials, Part I: Silver plated dies (Crispin et al), 631
Plated-silver dies. Part I: Platability of impression materials (Crispin et al), 631; Part II: Marginal accuracy of cast restorations (Crispin et al), 768
Platinum-bonded crown: Simplified technique (Donovan et al), 273
Point of reference, third, evaluation of, for mounting maxillary casts on Hanau articulator (Bailey and Nowlin), 199
Polycarbonate-resin crowns, improving fit of (Tebrock) (Tips), 435
Polycarboxylate cement containing tannin-fluoride preparation, physical properties of (Tsukiboshi and Tani), 503
Polydimethyl siloxane and MDX-4-4210 silicone materials, in vitro comparison study between (Abdelnnabi et al), 523
Polysulfide maxillary impressions, easy removal of, from mouth (Samant and Martine) (Tips), 282
Polyurethane, isophorone, for maxillofacial prosthetics, intrinsic color of. Part I: Physical properties (Turner et al), 519; Part II: Color stability (Turner et al), 673
Polyvinylchloride rings, adjustable, boxing technique with (Axinn and Taylor), 849
Pontic design, anterior: Logical progression (Porter), 774
of posterior fixed partial prostheses: Is it a microbial misadventure? (Parkinson and Schaberg), 51
Porcelain-fused-to-gold restorations, long-term clinical study of (Coornaert et al), 338
jacket crowns, two-die system for constructing (Schmitt), 195
surface characterization and staining in office (Abadie), 181
vacuum-fired, effect of superficial colorant and glaze on surface texture of (Cook et al), 476
Post(s) and core technique, modified indirect cast (Gavelis and Hope), 55
prefabricated stainless steel, and composite core, use of, to restore maxillary molar following root amputation (Silverman), 190
preparation, effect of, on apical seal (Mattison et al), 785
Posterior complete crowns, internal channel vents for (Brose et al), 755
fixed partial prostheses, pontic design of: Is it a microbial misadventure? (Parkinson and Schaberg), 51
palatal seal, obtaining (Miller), 717
Posterior tooth (teeth), cusp and zero-degree, comparative observations of use of (Shetty), 459
form, effect of, on chewing cycle in frontal plane (Drago and Rugh), 564
Posture, mandibular, in edentulous patients, influence of prostheses on (Heath and Boutros), 602
Practice, general, is [it] influenced by design or default: Discrepancies in dental education (Garlapo et al), 268
Prefabricated stainless steel posts and composite core, use of, to restore maxillary molar following root amputation (Silverman), 190
Preparation(s), periodontal surgical, for specific problems in restorative dentistry (Kaldahl et al), 36
using irreversible hydrocolloid to evaluate, and fabricate temporary immediate provisional restorations (Moskowitz et al), 330
with shoulders, impression techniques for (Abarno and Spatakis), 42
Primary impressions for complete dentures, physiologic determinants of (Klein and Goldstein), 611
Projections, oblique cephalometric radiographic, of edentulous mandible, errors of: Part I. Geometric errors (Steen), 411
Prong denture for atrophic maxillae, simplified method for fabricating (Bangtson et al), 744
Properties, physical, and resistance to amalgam condensation: Dycal (Shorer et al), 358
retentive, of obturator-reinforced composite resin dowel-core system, effect of corrugated channel on (Tjan et al), 347
Prosthesis(es) cleaning aid for manually handicapped patients (von Gonten and Albright) (Tips), 283
corrective occlusion, centric relation change during therapy with (Serrano et al), 97
crown-sleeve coping, repairing. Part II (Stern and Zalkind), 366; Part III (Stern and Kohavi), 515
custom, used to support oral and maxillofacial surgery (Kraut and Connelly), 663
fabrication, definitive, use of interim obturator for (Martin et al), 527
fixed, temporary cementation of (Juliano) (Tips), 132
influence of, on mandibular posture in edentulous patients (Heath and Boutros), 602
intranasal, laboratory techniques for construction of (Davenport et al), 577
maxillary hollow obturator, simplified approach to fabrication of (Knapp), 67
obturator, framework retention for (Martin and King), 669
speech, for partial glossectomy patient, functional speech impression used to fabricate (Knowles et al), 232
nasal, modified clinical and laboratory procedures for fabrication of (Knudson and Saunders), 660
orbital, method for orienting ocular portion of (Jooste), 380
reusable metal molds for ocular parts of (Casey), 804
posterior fixed partial, pontic design of: Is it a microbial misadventure? (Parkinson and Schaberg), 51
relining metal-based, with acid-etch techniques, effective method for (Garfield), 719
removing cemented metal-ceramic fixed, without damage: Custom-made appliance (Williams et al), 656
Prosthetics, maxillofacial, intrinisic color of isophorone polyurethane for. Part I: Physical properties (Turner et al), 519; Part II: Color stability (Turner et al), 673
Prosthodontic(s), future of (Atwood), 262
removable, treatment needs: Survey (Ettinger et al), 419

Protectors, custom mouth: Review of their applications (Seals and Dorrough), 238
Protrusion, distribution of radius of curve scribed during (Welsch), 518
Provisional restorations, anterior, alternative for: Visible light-cured composite resins (Wood et al), 192
temporary immediate, using irreversible hydrocolloid to evaluate preparations and fabricate (Moskowitz et al), 330
Proximal cavity design, effect of, on cementation of Class II inlays (Gelb et al), 202
marginal caries in crowned teeth, alternative treatment of (Mansfield and Shay), 49
Psychologic study of self-concept of patients in relation to artificial and natural teeth (Alvi et al), 470
Pterygoid muscle, lateral, EMG activity of superior belly of, in relation to other jaw muscles (Gibbs et al), 691

R

Radiation carrier, intraoral-extraoral, for tumors of lip (Cameron et al), 70
Radiograph, lateral temporomandibular joint, practical evaluation of (Weinberg), 676
Radiographic assessment of marginal fit of cast restorations (Weyns and De Boever), 485
projections, oblique cephalometric, of edentulous mandible, errors of: Part I. Geometric errors (Steen), 411
Radiopaque denture base resin, clinical evaluation of (Tsao et al), 456
Radiotherapy, natamycin and nystatin for treatment of oral candidiasis during and after (Holst), 226
Radium source carrier nasal stent, shielded, for treatment of primary carcinoma of nasal cavity (Ghalichebaf et al), 383
Radius of curve scribed during protrusion, distribution of (Welsch), 518
Rebase procedure and esthetic reconstruction for maxillary complete dentures (McCartney), 571
Rebonded retainers, retentive capacity of, to enamel (Williams and Dedmon), 205
Reconstruction, esthetic, and rebase procedure for maxillary complete dentures (McCartney), 571
Recording materials, interocclusal, clinical evaluation of accuracy of (Fattore et al), 152
Records, wax interocclusal, and simplified mandibular motion analyzers, comparison of condylar control settings obtained from (Ecker et al), 404
Reference, evaluation of third point of, for mounting maxillary casts on Hanau articulator (Bailey and Nowlin), 199
Reinforcement, intracoronal, and coronal coverage: Study of endodontically treated teeth (Sorensen and Martinoff), 780
of weakened surrounding cavity walls with pins (Bagheri and Chan), 343
Relation, centric, change during therapy with corrective occlusion prostheses (Serrano et al), 97
Relining metal-based prostheses with acid-etch techniques, effective method for (Garfield), 719
complete dentures, current concepts for: Survey (Nassif and Jumbelic), 11
of complete dentures, general considerations prior to (Jumbelic and Nassif), 158
Relocating multiple denture adjustment areas (Sherman) (Tips), 436
Removable partial dentures, clinical evaluation of patients eight to nine years after placement of (Chandler and Brudvik), 736
existing, fabrication of full coverage restorations for (McArthur), 574
overlay and onlay, treatment of open occlusions with (Farmer and Connelly), 300
use of spring-loaded attachments for retention of (Wright), 605
Removable—cont'd
prosthodontic treatment needs: Survey (Ettinger et al), 419
Repairing crown-sleeve coping prosthesis. Part II (Stern and Zalkind), 366; Part III (Stern and Kohavi), 515
torn irreversible hydrocolloid impressions with cyanoacrylate adhesive (Phankosal and Taylor) (Tips), 722
Replacement for broken attachment, fabrication of (Zalkind and Rehany), 714
Report of Committee on Scientific Investigation of American Academy of Restorative Dentistry (Jendresen et al), 823
Resin(s), acrylic, and cast complete crowns, temporary cementation of (Ishikiriama et al), 637
bench-curing acrylic (Firtell et al), 431
-bonded anterior fixed partial dentures, cast metal, clinical evaluation of (Eshleman et al), 761
copings, method to make, safely (Tarlow), 852
dowel-core system, obturator-reinforced composite, effect of corrugated channel on retentive properties of (Tjan et al), 347
-polycarbonate crowns, improving fit of (Tebrock) (Tips), 435
radiopaque denture base, clinical evaluation of (Tsao et al), 456
restorations, composite, microleakage of (von Fraunhofer and Hammer), 209
teeth, setting artificial acrylic, in occlusion with natural teeth (Sherman) (Tips), 722
two denture, effect of carbon fiber orientation on fatigue resistance and bending properties of (DeBoer et al), 119
visible light-cured composite: Alternative for anterior provisional restorations (Wood et al), 192
Resistance, fatigue, and bending properties of two denture resins, effect of carbon fiber orientation on (DeBoer et al), 119
to amalgam condensation and physical properties: Dycal (Shorer et al), 358
Response, biologic, to single-crystal sapphire endosteal dental implant: Scanning electron microscopic observations (McKinney et al), 372
Restorations: anterior provisional, alternative for: Visible light-cured composite resins (Wood et al), 192
cast, marginal accuracy of, Part II: Silver-plated dies (Crispin et al), 768
radiographic assessment of marginal fit of (Weyns and De Boever), 485
ceramometal fixed, failures in (Barreto), 186
composite resin, microleakage of (von Fraunhofer and Hammer), 209
direct gold, microleakage of: In vitro study (Welsh et al), 33
full coverage, fabrication of, for existing removable partial dentures (McArthur), 574
porcelain-fused-to-gold, long-term clinical study of (Coornaert et al), 338
temporary immediate provisional, using irreversible hydrocolloid to evaluate preparations and fabricate (Moskowitz et al), 330
Restorative dentistry, periodontal surgical preparation for specific problems in (Kaldahl et al), 36
report of Committee on Scientific Investigation of American Academy of (Jendresen et al), 823
Restoring palatal form in complete maxillary denture, method of (Kaufman and Cardash), 126
Retainers, minimal coverage, soldering index for (Ullo et al), 847
rebonded, retentive capacity of, to enamel (Williams and Dedmon), 205
Retention and stress-distributing characteristics of new dowel system (Caputo and Hokama), 652
framework, for maxillary obturator prostheses (Martin and King), 669
magnetic, of overdentures, simplified technique for (Maroso et al), 599
of removable partial dentures, use of spring-loaded attachments for (Wright), 605

Retentive capacity of rebonded retainers to enamel (Williams and Dedmon), 205
properties of obturator-reinforced composite resin dowel-core system, effect of corrugated channel on (Tjan et al), 347
Retromylohyoid space, recording, in preliminary irreversible hydrocolloid impressions (Shifman) (Tips), 434
Reusable metal molds for ocular parts of orbital prostheses (Casey), 804
Reversible hydrocolloid impression material in wet field, evaluation of (Stewart et al), 797
Ridge augmentation procedures, surgical, for atrophied mandible, review of (Van Sickels and Montgomery), 5
hyperplastic anterior maxillary, surgical modification of (Keagle and Rahn), 748
Rings, adjustable polyvinylchloride, boxing technique with (Axinn and Taylor), 849
Root amputation, use of prefabricated stainless steel posts and composite core to restore maxillary molar following (Silverman), 190
Rosin, cavity varnish, copal, microleakage of (Newman), 499

S

Sapphire, single-crystal, endosteal dental implant, biologic response to: Scanning electron microscopic observations (McKinney et al), 372
Scanning electron microscopic observations: Biologic response to single-crystal sapphire endosteal dental implant (McKinney et al), 372
Scientific Investigation, report of Committee on, of American Academy of Restorative Dentistry (Jendresen et al), 823
Seal, apical, effect of post preparation on (Mattison et al), 785
obtaining posterior palatal (Miller), 717
Self-concept of patients, psychologic study of, in relation to artificial and natural teeth (Alvi et al), 470
Setting(s), condylar control, obtained from wax interocclusal records and simplified mandibular motion analyzers, comparison of (Ecker et al), 404
time and expansion, dental stone, influence of gauging water composition on (Brukl et al), 218
Shift, Bennett, measured at hinge axis and arbitrary hinge axis position, comparison of (Lundeen and Mendoza), 407
immediate Bennett, comparison of two methods for measurement of (Lundeen and Mendoza), 243
Silicone materials, MDX-4-4210 and polydimethyl siloxane, in vitro comparison study between (Abdelnnabi et al), 523
Silver-plated dies. Part I: Platability of impression materials (Crispin et al), 631; Part II: Marginal accuracy of cast restorations (Crispin et al), 768
Single-crystal sapphire endosteal dental implant, biologic response to: Scanning electron microscopic observations (McKinney et al), 372
Sleeve coping-crown prosthesis, repairing. Part II (Stern and Zalkind), 366; Part III (Stern and Kohavi), 515
Smile, some esthetic factors in (Tjan and Miller), 24
Sodium hypochlorite, sterilization of complete dentures with (Rudd et al), 318
Soft denture liner of fluoroethylene-copolymer and its clinical evaluation (Hayakawa et al), 310
Solder joints, base metal and gold, comparison of strength of (Kriebel et al), 60
Soldering index for minimal coverage retainers (Ullo et al), 847
Speech, functional, impression used to fabricate maxillary speech prosthesis for partial glossectomy patient (Knowles et al), 232
prosthesis, maxillary, for partial glossectomy patient, functional speech impression used to fabricate (Knowles et al), 232
Splints, intermediate fiberglass (Friskopp and Blomlof), 334
occlusal, EMG response to alteration of tooth contacts on, during maximal clenching (Wood and Tobias), 394
Split denture technique, improved (Winkler et al), 276
palatal major connector, photoelastic study of (Reitz et al), 19
Spring-loaded attachments for retention of removable partial dentures, use of (Wright), 605
Stability, color, Part II: Intrinsic color of isophorone polyurethane for maxillofacial prosthetics (Turner et al), 673
Staining and characterization, [of] porcelain surface, in office (Abadie), 181
Stainless steel posts, prefabricated, and composite core, use of, to restore maxillary molar following root amputation (Silverman), 190
Stent, shielded radium source carrier nasal, for treatment of primary carcinoma of nasal cavity (Ghalichebaf et al), 383
Sterilization of complete dentures with sodium hypochlorite (Rudd et al), 318
Stick modeling compound, technique for manipulation of small lengths of (Donahue and Donahue) (Tips), 853
Stomatitis, denture, efficacy of 2.5% Pimafucin suspension in treatment of (Koopmans et al), 461
Stone, dental, expansion and setting time, influence of gauging water composition on (Brukl et al), 218
Stress-distributing and retention characteristics of new dowel system (Caputo and Hokama), 652
Subgingival microbial flora associated with human dental implants (Rams et al), 529
Superior belly of lateral pterygoid muscle, EMG activity of, in relation to other jaw muscles (Gibbs et al), 691
Surgery, oral and maxillofacial, custom prostheses used to support (Kraut and Connelly), 663
orthognathic, preliminary study of biomechanical changes produced by (Throckmorton et al), 252
Surgical modification of hyperplastic anterior maxillary ridge (Keagle and Rahn), 748
preparation, periodontal, for specific problems in restorative dentistry (Kaldahl et al), 36
ridge augmentation procedures for atrophied mandible, review of (Van Sickels and Montgomery), 5
template, using existing complete denture as (Bolouri and Williams), 129
Syndrome, myofascial pain-dysfunction, and organic temporomandibular joint disorders, predictors of treatment outcome in patients with (Lipton and Marbach), 387
temporomandibular joint pain-dysfunction, approach to management of (Reade), 91
System(s), obturator-reinforced composite resin dowel-core, effect of corrugated channel on retentive properties of (Tjan et al), 347
paired composite, interfacial bonding strengths of (Miranda et al), 29

T

Tannin-fluoride preparation, physical properties of polycarboxylate cement containing (Tsukiboshi and Tani), 503
Teflon-coated metal, plaque accumulation on (Maetani et al), 353
Template, surgical, using existing complete denture as (Bolouri and Williams), 129
Temporary immediate provisional restorations, using irreversible hydrocolloid to evaluate preparations and fabricate (Moskowitz et al), 330
Temporomandibular joint, arthrography of (Westesson), 535
disorders, organic, and myofascial pain-dysfunction syndrome, predictors of treatment outcome in patients with (Lipton and Marbach), 387
meniscus displacement, diagnosis by computed tomography of (Helms et al), 544
pain-dysfunction and major maxillomandibular malrelations (Upton et al), 686
syndrome, approach to management of (Reade), 91
radiograph, lateral, practical evaluation of (Weinberg), 676

Therapy, ultrasonic, alleviation of myofascial pain with (Esposito et al), 106
with corrective occlusion prostheses, centric relation change during (Serrano et al), 97
Tissue conditioning for complete dentures, comprehensive approach to (Klein and Lennon), 147
displacement methods, mechanical-chemical, clinical effectiveness of (Weir and Williams), 326
T-lymphocytes, effect of dental amalgam and nickel alloys on: Preliminary report (Eggleston), 617
Tomography, computed, of temporomandibular joint meniscus displacement, diagnosis by (Helms et al), 544
Tooth (teeth), artificial and natural, psychologic study of self-concept of patients in relation to (Alvi et al), 470
contacts on occlusal splints during maximal clenching, EMG response to alteration of (Wood and Tobias), 394
crowned, alternative treatment of proximal marginal caries in (Mansfield and Shay), 49
cusp and zero-degree posterior, comparative observations of use of (Shetty), 459
form, posterior, effect of, on chewing cycle in frontal plane (Drago and Rugh), 564
natural, setting artificial acrylic resin teeth in occlusion with (Sherman) (Tips), 722
setting artificial acrylic resin, in occlusion with natural teeth (Sherman) (Tips), 722
study of endodontically treated: Intracoronal reinforcement and coronal coverage (Sorensen and Martinoff), 780
treating fractured, periodontal considerations relevant to (Schneider and Binder), 624
Transfer procedure, hinge axis: Three-dimensional error analysis (Schulte et al), 247
Treatment, alternative, of proximal marginal caries in crowned teeth (Mansfield and Shay), 49
needs, removable prosthodontic: Survey (Ettinger et al), 419
of open occlusions with onlay and overlay removable partial dentures (Farmer and Connelly), 300
oral candidiasis during and after radiotherapy, natamycin and nystatin for (Holst), 226
primary carcinoma of nasal cavity, shielded radium source carrier nasal stent for (Ghalichebaf et al), 383
Treatment—cont'd
outcome, predictors of, in patients with myofascial pain-dysfunction syndrome and organic temporomandibular joint disorders (Lipton and Marbach), 387
visit, operative, review of incidence of pain after: Part I (Grover et al), 224; clinical study of pain after: Part II (Grover et al), 369
Tumors of lip, intraoral-extraoral radiation carrier for (Cameron et al), 70
Two-die system for constructing porcelain jacket crowns (Schmitt), 195

U

Ultrasonic hardening of annealed copper bands (De Clerck) (Tips), 132
therapy, alleviation of myofascial pain with (Esposito et al), 106

V

Vacuum-fired porcelain, effect of superficial colorant and glaze on surface texture of (Cook et al), 476
Varnish, copal rosin cavity, microleakage of (Newman), 499
Veneer facing, cyanoacrylate: Alternate approach (Neihart), 777
Vents, internal channel, for posterior complete crowns (Brose et al), 755
Visible light–cured composite resins: Alternative for anterior provisional restorations (Wood et al), 192

W

Water composition, gauging, influence of, on dental stone expansion and setting time (Brukl et al), 218
Wax, disclosing, use of, to evaluate denture extensions (Logan and Nimmo), 280
interocclusal records and simplified mandibular motion analyzers, comparison of condylar control settings obtained from (Ecker et al), 404
Wet field, evaluation of reversible hydrocolloid impression material in (Stewart et al), 797

Z

Zero-degree and cusp posterior teeth, comparative observations of use of (Shetty), 459